

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 9/25/2019 Analysis Date: 9/26/2019 Report Date: 9/27/2019

Metrc Batch ID: 1A4010300016315000015613 Metrc Sample ID: 1A4010300016315000015830 Harvest/Process Date: 9/23/2019 Report ID:

LS-190927-20

Potency

Potency Analysis Date: 9/26/2019 Potency Batch ID: CAN_092619C Potency Method: JAOAC 2015.1

71.3%

Total THC

<LOQ

Samples: JBX-CTM-FZS, PMZ-FTP-DTW

Total CBD



Analyte	Description	LOQ	RPD	Min.	Max.	Avg.	
Д9ТНС	Delta-9 Tetrahydrocannabinol	0.16	0.392	71.2	71.5	71.3	
THCA	Tetrahydrocannabinolic acid	0.16	0.00	ND	ND	ND	
CBD	Cannabidiol	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBDA	Cannabidiolic acid	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
Δ8ΤΗC	Delta-8 Tetrahydrocannabinol*	0.16	0.00	ND	ND	ND	
THCV	Tetrahydrocannabivarin*	0.16	3.94	0.707	0.735	0.721	•
CBG	Cannabigerol*	0.16	1.27	0.906	0.917	0.911	•
CBGA	Cannabigerolic acid*	0.16	22.8	ND	0.201	0.101	•
CBC	Cannabichromene*	0.16	1.83	1.64	1.67	1.66	•
CBCA	Cannabichromenic acid*	0.16	0.00	ND	ND	ND	
CBN	Cannabinol	0.16	14.9	0.681	0.791	0.736	•
Total THC	Δ9THC + (THCA × 0.877)		0.392	71.2	71.5	71.3	
Total CBD	CBD + (CBDA × 0.877)		0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
Total			0.0281	75.1	75.8	75.5	

Compliance

Pesticides	Within limits	Analysis Date: 9/26/2019	Pass 🛇
Solvents	Within limits	Analysis Date: 9/26/2019	Pass 🕢
Potency	Within limits	Analysis Date: 9/26/2019	Pass 🕢

Bryce Kidd, Ph.D. Lab Director

Aaron Troyer
Chief Science Officer





Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 9/25/2019 Analysis Date: 9/26/2019 Report Date: 9/27/2019

Metrc Batch ID: 1A4010300016315000015613 Metrc Sample ID: 1A4010300016315000015830 Harvest/Process Date: 9/23/2019

Report ID:

LS-190927-20

Terpenes*
Sample Data

Analyte	Avg.	Notes
Selinadiene	0.713%	
β-Myrcene	0.571%	
Humulene	0.533%	
α-Bisabolol	0.303%	
Linalool	0.225%	
Guaiol	0.209%	
Limonene	0.191%	
α-Terpineol	0.178%	
β-Pinene	0.0646%	
α-Pinene	0.0471%	
Terpinolene	0.0249%	
Borneol	0.00777%	
Azulene	ND	
Camphene	ND	
Camphore	ND	
Caryophyllene Oxide	ND	
Cedrol	ND	
Cymene	ND	
Eucalyptol	ND	
Fenchol	ND	
Fenchone	ND	
Geraniol	ND	
Geranyl Acetate	ND	
Isoborneol	ND	
Isopulegol	ND	
Nerol	ND ND	
Pulegone	ND ND	
Sabinene	ND ND	
	ND ND	
Sabinene Hydrate	ND	

Terpene Analysis Date: 9/27/2019 Terpene Batch ID: TRP_092619A Method: JAOAC 2015.1

Unit: %

Analyte	Avg.	Notes	
Valencene	ND		
cis-Nerolidol	ND		
trans-Nerolidol	ND		
Δ3-Carene	ND		
α-Cedrene	ND		
α-Ocimene	ND		
$\alpha\text{-Phellandrene}$	ND		
α-Terpinene	ND		
β-Caryophyllene	ND		
β-Farnesene 1	ND		
β-Farnesene 2	ND		
β-Ocimene	ND		
γ-Terpinene	ND		
γ-Terpineol	ND		
Total	3.07%		



Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Sample Type: Extracts Sample Date: 9/25/2019 **Analysis Date:** 9/26/2019 Report Date: 9/27/2019

1A4010300016315000015613 Metrc Sample ID: 1A4010300016315000015830 Harvest/Process Date: 9/23/2019

Report ID:

LS-190927-20



Pesticides Analysis Date: 9/26/2019 Pesticides Batch ID: PST 092619A

Method: EN 15662 Unit: µg/g (ppm)

Pass 🕢

Analyte	JBX-CTM-FZS		Limits	LOQ	Notes	Status
Abamectin	ND	ND	0.5	0.1		Pass
Acephate	ND	ND	0.4	0.1		Pass
Acequinocyl	ND	ND	2.0	1.5		Pass
Acetamiprid	ND	ND	0.2	0.1		Pass
Aldicarb	ND	ND	0.4	0.1		Pass
Azoxystrobin	ND	ND	0.2	0.1		Pass
Bifenazate	ND	ND	0.2	0.1		Pass
Bifenthrin	ND	ND	0.2	0.1		Pass
Boscalid	ND	ND	0.4	0.1		Pass
Carbaryl	ND	ND	0.2	0.1		Pass
Carbofuran	ND	ND	0.2	0.1		Pass
Chlorantraniliprole	ND	ND	0.2	0.1		Pass
Chlorfenapyr	ND	ND	1.0	0.1		Pass
Chlorpyrifos	ND	ND	0.2	0.1		Pass
Clofentezine	ND	ND	0.2	0.1		Pass
Cyfluthrin	ND	ND	1.0	0.5		Pass
Cypermethrin	ND	ND	1.0	0.1		Pass
Daminozide	ND	ND	1.0	0.5		Pass
Diazinon	ND	ND	0.2	0.1		Pass
Dichlorvos (DDVP)	ND	ND	1.0	0.5		Pass
Dimethoate	ND	ND	0.2	0.1		Pass
Ethoprophos	ND	ND	0.2	0.1		Pass
Etofenprox	ND	ND	0.4	0.1		Pass
Etoxazole	ND	ND	0.2	0.1		Pass
Fenoxycarb	ND	ND	0.2	0.1		Pass
Fenpyroximate	ND	ND	0.4	0.1		Pass
Fipronil	ND	ND	0.4	0.1		Pass
Flonicamid	ND	ND	1.0	0.1		Pass
Fludioxonil	ND	ND	0.4	0.1		Pass
Hexythiazox	ND	ND	1.0	0.1		Pass
Imazalil	ND	ND	0.2	0.1		Pass
Imidacloprid	ND	ND	0.4	0.1		Pass
Kresoxim-methyl	ND	ND	0.4	0.1		Pass
Malathion	ND	ND	0.2	0.1		Pass

Analyte	JBX-CTM-FZS	PMZ-FTP-DTW	Limits	LOQ	Notes	Status
Metalaxyl	ND	ND	0.2	0.1		Pass
Methiocarb	ND	ND	0.2	0.1		Pass
Methomyl	ND	ND	0.4	0.1		Pass
Methyl Parathion	ND	ND	0.2	0.2		Pass
MGK-264	ND	ND	0.2	0.2		Pass
Myclobutanil	ND	ND	0.2	0.1		Pass
Naled	ND	ND	0.5	0.2		Pass
Oxamyl	ND	ND	1.0	0.1		Pass
Paclobutrazol	ND	ND	0.4	0.1		Pass
Permethrins	ND	ND	0.2	0.1		Pass
Phosmet	ND	ND	0.2	0.1		Pass
Piperonyl Butoxide	ND	ND	2.0	0.1		Pass
Prallethrin	ND	ND	0.2	0.1		Pass
Propiconazole	ND	ND	0.4	0.1		Pass
Propoxur	ND	ND	0.2	0.1		Pass
Pyrethrins	ND	ND	1.0	0.5		Pass
Pyridaben	ND	ND	0.2	0.1		Pass
Spinosad	ND	ND	0.2	0.1		Pass
Spiromesifen	ND	ND	0.2	0.1		Pass
Spirotetramat	ND	ND	0.2	0.1		Pass
Spiroxamine	ND	ND	0.4	0.1		Pass
Tebuconazole	ND	ND	0.4	0.1		Pass
Thiacloprid	ND	ND	0.2	0.1		Pass
Thiamethoxam	ND	ND	0.2	0.1		Pass
Trifloxystrobin	ND	ND	0.2	0.1		Pass



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 9/25/2019 Analysis Date: 9/26/2019 Report Date: 9/27/2019

Metrc Batch ID: 1A4010300016315000015613 Metrc Sample ID: 1A4010300016315000015830 Harvest/Process Date: 9/23/2019

Report ID:

LS-190927-20



Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Abamectin	ND	0.1	0.971	1.00	97.1	50 - 150	
Acephate	ND	0.1	0.776	1.00	77.6	50 - 150	
Acequinocyl	ND	1.5	0.919	1.00	91.9	50 - 150	
Acetamiprid	ND	0.1	0.997	1.00	99.7	50 - 150	
Aldicarb	ND	0.1	1.02	1.00	102	50 - 150	
Azoxystrobin	ND	0.1	1.10	1.00	110	50 - 150	
Bifenazate	ND	0.1	1.28	1.00	128	50 - 150	
Bifenthrin	ND	0.1	0.934	1.00	93.4	50 - 150	
Boscalid	ND	0.1	1.15	1.00	115	50 - 150	
Carbaryl	ND	0.1	1.06	1.00	106	50 - 150	
Carbofuran	ND	0.1	1.05	1.00	105	50 - 150	
Chlorantraniliprole	ND	0.1	1.03	1.00	103	50 - 150	
Chlorfenapyr	ND	0.1	0.985	1.00	98.5	50 - 150	
Chlorpyrifos	ND	0.1	0.974	1.00	97.4	50 - 150	
Clofentezine	ND	0.1	0.949	1.00	94.9	50 - 150	
Cyfluthrin	ND	0.5	1.50	1.00	150	50 - 150	
Cypermethrin	ND	0.1	1.00	1.00	100	50 - 150	
Daminozide	ND	0.5	ND	1.00	0.00	10 - 150	ND
Diazinon	ND	0.1	1.01	1.00	101	50 - 150	
Dichlorvos (DDVP)	ND	0.5	0.966	1.00	96.6	50 - 150	
Dimethoate	ND	0.1	0.990	1.00	99.0	50 - 150	
Ethoprophos	ND	0.1	0.897	1.00	89.7	50 - 150	
Etofenprox	ND	0.1	0.953	1.00	95.3	50 - 150	
Etoxazole	ND	0.1	0.979	1.00	97.9	50 - 150	
Fenoxycarb	ND	0.1	0.998	1.00	99.8	50 - 150	
Fenpyroximate	ND	0.1	1.05	1.00	105	50 - 150	
Fipronil	ND	0.1	1.06	1.00	106	50 - 150	
Flonicamid	ND	0.1	0.894	1.00	89.4	50 - 150	
Fludioxonil	ND	0.1	1.12	1.00	112	50 - 150	
Hexythiazox	ND	0.1	1.05	1.00	105	50 - 150	
Imazalil	ND	0.1	0.919	1.00	91.9	50 - 150	
Imidacloprid	ND	0.1	0.991	1.00	99.1	50 - 150	
Kresoxim-methyl	ND	0.1	1.07	1.00	107	50 - 150	
Malathion	ND	0.1	1.07	1.00	107	50 - 150	

Pesticides QC Analysis Date: 9/26/2019 Pesticides QC Batch ID: PST 092619A Method: EN 15662 Unit: μg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Metalaxyl	ND	0.1	1.07	1.00	107	50 - 150	
Methiocarb	ND	0.1	1.08	1.00	108	50 - 150	
Methomyl	ND	0.1	0.994	1.00	99.4	50 - 150	
Methyl Parathion	ND	0.2	0.391	1.00	39.1	30 - 150	
MGK-264	ND	0.2	0.745	0.600	124	50 - 150	
Myclobutanil	ND	0.1	1.02	1.00	102	50 - 150	
Naled	ND	0.2	1.10	1.00	110	50 - 150	
0xamy1	ND	0.1	0.992	1.00	99.2	50 - 150	
Paclobutrazol	ND	0.1	0.975	1.00	97.5	50 - 150	
Permethrins	ND	0.1	0.961	1.00	96.1	50 - 150	
Phosmet	ND	0.1	1.15	1.00	115	50 - 150	
Piperonyl Butoxide	ND	0.1	1.05	1.00	105	50 - 150	
Prallethrin	ND	0.1	1.04	1.00	104	50 - 150	
Propiconazole	ND	0.1	1.07	1.00	107	50 - 150	
Propoxur	ND	0.1	1.01	1.00	101	50 - 150	
Pyrethrins	ND	0.5	0.525	1.00	52.5	50 - 150	
Pyridaben	ND	0.1	0.985	1.00	98.5	50 - 150	
Spinosad	ND	0.1	0.821	1.00	82.1	50 - 150	
Spiromesifen	ND	0.1	1.01	1.00	101	50 - 150	
Spirotetramat	ND	0.1	1.05	1.00	105	50 - 150	
Spiroxamine	ND	0.1	0.662	1.00	66.2	50 - 150	
Tebuconazole	ND	0.1	0.982	1.00	98.2	50 - 150	
Thiacloprid	ND	0.1	1.07	1.00	107	50 - 150	
Thiamethoxam	ND	0.1	0.954	1.00	95.4	50 - 150	
Trifloxystrobin	ND	0.1	1.04	1.00	104	50 - 150	



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts
Sample Date: 9/25/2019
Analysis Date: 9/26/2019
Report Date: 9/27/2019

Metrc Batch ID: 1A4010300016315000015613 Metrc Sample ID: 1A4010300016315000015830 Harvest/Process Date: 9/23/2019 Report ID:

LS-190927-20

Residual Solvents
Sample Data

Solvents Analysis Date: 9/26/2019 Solvents Batch ID: RES 092619A Method: EPA 5021A Unit: μg/g (ppm) Pass 🕢

Analyte	JBX-CTM-FZS	PMZ-FTP-DTW	RPD (%)	Limits	LOQ	Notes	Status
1,4-Dioxane	ND	ND	0.00	380.0	50.0		Pass
2-Butanol	ND	ND	0.00	5000.0	250.0		Pass
2-Ethoxyethanol	ND	ND	0.00	160.0	50.0		Pass
Acetone	ND	ND	0.00	5000.0	250.0		Pass
Acetonitrile	ND	ND	0.00	410.0	50.0		Pass
Benzene	ND	ND	0.00	2.0	2.0		Pass
Butanes	ND	ND	0.00	5000.0	250.0		Pass
Cumene	ND	ND	0.00	70.0	50.0		Pass
Cyclohexane	ND	ND	0.00	3880.0	50.0		Pass
Ethyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Ethyl Ether	ND	ND	0.00	5000.0	250.0		Pass
Ethylene Glycol	ND	ND	0.00	620.0	250.0		Pass
Ethylene Oxide	ND	ND	0.00	50.0	50.0		Pass
Heptane	ND	ND	0.00	5000.0	250.0		Pass
Hexanes	ND	ND	0.00	290.0	50.0		Pass
Isopropanol (2-Propanol)	ND	ND	0.00	5000.0	50.0		Pass
Isopropyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Methanol	ND	ND	0.00	3000.0	250.0		Pass
Dichloromethane	ND	ND	0.00	600.0	50.0		Pass
Pentanes	ND	ND	0.00	5000.0	250.0		Pass
Propane	ND	ND	0.00	5000.0	250.0		Pass
Tetrahydrofuran	ND	ND	0.00	720.0	50.0		Pass
Toluene	ND	ND	0.00	890.0	50.0		Pass
Xylenes	ND	ND	0.00	2170.0	50.0		Pass



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 9/25/2019 Analysis Date: 9/26/2019 Report Date: 9/27/2019

Metrc Batch ID: 1A4010300016315000015613 Metrc Sample ID: 1A4010300016315000015830 Harvest/Process Date: 9/23/2019

Report ID:

LS-190927-20

Residual Solvents
Quality Control Data

Solvents QC Analysis Date: 9/26/2019 Solvents QC Batch ID: RES_092619A Method: EPA 5021A Unit: μg/g (ppm)

2-Butanol ND 258.8 1818 1818 1808 1811 78 - 138 2-Ethoxyethanol ND 58.8 979 1808 97.9 78 - 138 Acetone ND 258.8 1828 1828 1808 1822 78 - 138 Benzene ND 258.8 1838 2808 91.5 78 - 138 Butanes ND 58.8 1828 1808 1808 91.5 78 - 138 Butanes ND 58.8 1828 1808 1808 91.5 78 - 138 Cumene ND 58.8 1828 1808 1808 88.6 78 - 138 Ethyl Acetate ND 258.8 886 1808 88.6 78 - 138 Ethyl Acetate ND 258.8 886 1808 88.6 78 - 138 Ethylene Glycol ND 258.8 886 1808 88.6 78 - 138 Ethylene Oxide ND 58.8 882 1808 88.6 78 - 138 Ethylene Oxide ND 58.8 882 1808 88.2 78 - 138 Ethylene Oxide ND 58.8 882 1808 88.2 78 - 138 Ethylene Oxide ND 58.8 882 1808 88.2 78 - 138 Ethylene Oxide ND 58.8 882 1808 88.2 78 - 138 Ethylene Oxide ND 58.8 882 1808 88.2 78 - 138 Ethylene Oxide ND 58.8 882 1808 95.1 78 - 138 Ethylene Oxide ND 58.8 882 1808 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 951 1888 95.1 78 - 138 Ethylene Oxide ND 58.8 958 958 968 96.5 78 - 138 Ethylene Oxide ND 58.8 958 958 968 96.5 78 - 138 Ethylene Oxide ND 58.8 958 968 968 96.5 78 - 138 Ethylene Oxide ND 58.8 958 968 968 96.5 78 - 138 Ethylene Oxide ND 58.8 958 968 968 96.5 78 - 138 Ethylene Oxide ND 58.8 958 968 968 96.5 78 - 138 Ethylene Oxide ND 58.8 958 968 968 96.5 78 - 138 Ethylene Oxide ND 58.8 958 968 968 96.5 78 - 138 Ethylene Oxide ND 58.8 958 968 968 96.5 78 - 138 Ethylene Oxide ND 58.8 968 968 968 96.5 78 - 138	Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Part	1,4-Dioxane	ND	50.0	924	1000	92.4	70 - 130	
Acetone ND 250.0 910 1000 102 70 - 130 Acetone ND 50.0 1020 1000 102 70 - 130 Acetonitrile ND 50.0 1020 1000 102 70 - 130 Benzene ND 250.0 1830 2000 91.5 70 - 130 Benzene ND 50.0 1020 1020 1020 70 - 130 Cumene ND 50.0 1020 1020 1020 70 - 130 Cumene ND 50.0 1020 1020 1020 70 - 130 Cumene ND 50.0 1020 1020 1020 70 - 130 Cumene ND 50.0 1020 1020 1020 70 - 130 Cumene ND 50.0 1020 1020 1020 1020 1020 1020 1020 1	2-Butanol	ND	250.0	1010	1000	101	70 - 130	
Acetonitrile ND SB.0 1020 17.7 20.0 88.6 70 - 130 Butanes ND 250.0 1830 2000 91.5 70 - 130 Cumene ND 50.0 1820 1800 1800 1800 1800 91.5 70 - 130 Cumene ND 50.0 88.0 1800	2-Ethoxyethanol	ND	50.0	979	1000	97.9	70 - 130	
Benzene ND 2.8 17.7 28.8 88.6 78 - 138 Butanes ND 250.8 1838 2808 91.5 78 - 138 Cumene ND 58.8 1020 1090 102 78 - 138 Cyclohexane ND 58.8 880 1000 88.6 78 - 130 Ethyl Acetate ND 250.0 965 1000 96.5 78 - 130 Ethyl Ether ND 250.0 886 1000 88.6 70 - 130 Ethylene Glycol ND 250.0 887 1000 80.7 70 - 130 Ethylene Oxide ND 50.0 882 1000 88.2 70 - 130 Heyane ND 50.0 4550 5000 91.0 70 - 130 Heyanes ND 50.0 4550 5000 91.0 70 - 130 Isopropanol (2-Propanol) ND 50.0 91 1000 91.2 70 - 130 Methanol	Acetone	ND	250.0	910	1000	91.0	70 - 130	
Butanes ND 250.0 1830 2000 91.5 70 - 130 Cumene ND 50.0 1020 1000 100 102 70 - 130 Cyclohexane ND 50.0 880 1000 88.0 70 - 130 Ethyl Acetate ND 250.0 965 1000 96.5 70 - 130 Ethyl Ether ND 250.0 886 1000 88.6 70 - 130 Ethylene Glycol ND 250.0 887 1000 88.2 70 - 130 Ethylene Oxide ND 50.0 882 1000 88.2 70 - 130 Heptane ND 250.0 951 1000 95.1 70 - 130 Hexanes ND 50.0 951 1000 95.1 70 - 130 Isopropanol (2-Propanol) ND 50.0 991 1000 99.1 70 - 130 Isopropyl Acetate ND 250.0 991 1000 99.1 70 - 130 Methanol ND 250.0 912 1000 99.1 70 - 130 Methanol ND 250.0 918 1000 99.5 70 - 130 Methanol ND 250.0 918 1000 99.5 70 - 130 Pentanes ND 50.0 918 1000 90.5 70 - 130 Pentanes ND 250.0 805 1000 80.5 70 - 130 Pertopane ND 250.0 805 1000 80.5 70 - 130 Tetrahydrofuran ND 50.0 1000 1000 1000 90.5 70 - 130 Toluene ND 50.0 939 1000 93.9 70 - 130	Acetonitrile	ND	50.0	1020	1000	102	70 - 130	
Cumene ND 50.0 1020 1000 102 70 - 130 Cyclohexane ND 50.0 880 1000 88.0 70 - 130 Ethyl Acetate ND 250.0 965 1000 96.5 70 - 130 Ethyl Ether ND 250.0 886 1000 88.6 70 - 130 Ethylene Glycol ND 250.0 882 1000 88.2 70 - 130 Ethylene Oxide ND 50.0 882 1000 88.2 70 - 130 Heytane ND 250.0 951 1000 95.1 70 - 130 Hexanes ND 50.0 4550 5000 91.0 70 - 130 Isopropanol (2-Propanol) ND 50.0 991 1000 99.1 70 - 130 Methanol ND 250.0 1020 1000 91.2 70 - 130 Pentanes ND 50.0 918 1000 91.8 70 - 130 Propane <	Benzene	ND	2.0	17.7	20.0	88.6	70 - 130	
Cyclohexane ND 50.0 880 1000 88.0 70 - 130 Ethyl Acetate ND 250.0 965 1000 96.5 70 - 130 Ethyl Ether ND 250.0 886 1000 88.6 70 - 130 Ethylene Glycol ND 250.0 807 1000 80.7 70 - 130 Ethylene Oxide ND 50.0 882 1000 88.2 70 - 130 Heyane ND 250.0 951 1000 95.1 70 - 130 Hexanes ND 50.0 4550 5000 91.0 70 - 130 Isopropanol (2-Propanol) ND 50.0 991 1000 99.1 70 - 130 Isopropyl Acetate ND 250.0 1020 1000 102 70 - 130 Methanol ND 50.0 918 1000 91.8 70 - 130 Dichloromethane ND 50.0 2710 3000 90.5 70 - 130 Propa	Butanes	ND	250.0	1830	2000	91.5	70 - 130	
Ethyl Acetate ND 250.0 965 1000 96.5 70 - 130 Ethyl Ether ND 250.0 886 1000 88.6 70 - 130 Ethylene Glycol ND 250.0 807 1000 80.7 70 - 130 Ethylene Oxide ND 50.0 882 1000 88.2 70 - 130 Ethylene Oxide ND 50.0 951 1000 95.1 70 - 130 Ethylene ND 250.0 951 1000 95.1 70 - 130 Ethylene ND 50.0 4550 5000 91.0 70 - 130 Ethylene ND 50.0 991 1000 99.1 70 - 130 Ethylene Oxide ND 50.0 991 1000 99.1 70 - 130 Ethylene ND 50.0 991 1000 99.1 70 - 130 Ethylene ND 250.0 1020 1000 99.1 70 - 130 Ethylene ND 250.0 912 1000 99.1 70 - 130 Ethylene ND 250.0 912 1000 91.2 70 - 130 Ethylene ND 250.0 918 1000 91.2 70 - 130 Ethylene ND 250.0 918 1000 91.8 70 - 130 Ethylene ND 250.0 805 1000 90.5 70 - 130 Ethylene ND 250.0 805 1000 80.5 70 - 130 Ethylene ND 250.0 805 1000 80.5 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 939 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 93.9 93.9 70 - 130 Ethylene ND 50.0 930 930 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 930 930 1000 93.9 93.9 70 - 130 Ethylene ND 50.0 930 930 1000 93.9 93.9	Cumene	ND	50.0	1020	1000	102	70 - 130	
Ethyl Ether ND 250.0 886 1000 88.6 70 - 130 Ethylene Glycol ND 250.0 887 1000 80.7 70 - 130 Ethylene Oxide ND 50.0 882 1000 88.2 70 - 130 Ethylene Oxide ND 50.0 882 1000 95.1 70 - 130 Hexanes ND 50.0 4550 5000 91.0 70 - 130 Isopropanol (2-Propanol) ND 50.0 991 1000 99.1 70 - 130 Isopropyl Acetate ND 250.0 991 1000 99.1 70 - 130 Methanol ND 250.0 912 1000 91.2 70 - 130 Dichloromethane ND 50.0 918 1000 91.8 70 - 130 Propane ND 250.0 2710 3000 90.5 70 - 130 Propane ND 250.0 805 1000 90.5 70 - 130 Propane ND 50.0 805 1000 80.5 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 93.9 70 - 130 Propane ND 50.0 939 1000 93.9 93.9 93.9 93.9 93.9 93.9 93.9 9	Cyclohexane	ND	50.0	880	1000	88.0	70 - 130	
Ethylene Glycol ND 250.0 807 1000 80.7 70 - 130 Ethylene Oxide ND 50.0 882 1000 88.2 70 - 130 Heptane ND 250.0 951 1000 95.1 70 - 130 Hexanes ND 50.0 4550 5000 91.0 70 - 130 Isopropanol (2-Propanol) ND 50.0 991 1000 99.1 70 - 130 Isopropyl Acetate ND 250.0 1020 1000 102 70 - 130 Methanol ND 250.0 912 1000 91.2 70 - 130 Dichloromethane ND 50.0 918 1000 91.8 70 - 130 Pentanes ND 250.0 2710 3000 90.5 70 - 130 Propane ND 250.0 805 1000 80.5 70 - 130 Tetrahydrofuran ND 50.0 939 1000 93.9 70 - 130	Ethyl Acetate	ND	250.0	965	1000	96.5	70 - 130	
Ethylene Oxide ND 50.0 882 1000 88.2 70 - 130 Heptane ND 250.0 951 1000 95.1 70 - 130 Hexanes ND 50.0 4550 5000 91.0 70 - 130 Isopropanol (2-Propanol) ND 50.0 991 1000 99.1 70 - 130 Isopropyl Acetate ND 250.0 1020 1000 102 70 - 130 Methanol ND 250.0 912 1000 91.2 70 - 130 Dichloromethane ND 50.0 918 1000 91.8 70 - 130 Pentanes ND 250.0 2710 3000 90.5 70 - 130 Propane ND 250.0 805 1000 90.5 70 - 130 Tetrahydrofuran ND 50.0 1000 1000 1000 93.9 70 - 130 Toluene ND 50.0 939 1000 93.9 70 - 130	Ethyl Ether	ND	250.0	886	1000	88.6	70 - 130	
Heptane ND 250.0 951 1000 95.1 70 - 130 Hexanes ND 50.0 4550 5000 91.0 70 - 130 Isopropanol (2-Propanol) ND 50.0 991 1000 99.1 70 - 130 Isopropyl Acetate ND 250.0 1020 1000 102 70 - 130 Methanol ND 250.0 912 1000 91.2 70 - 130 Dichloromethane ND 50.0 918 1000 91.2 70 - 130 Pentanes ND 250.0 2710 3000 90.5 70 - 130 Propane ND 250.0 805 1000 80.5 70 - 130 Tetrahydrofuran ND 50.0 939 1000 93.9 70 - 130	Ethylene Glycol	ND	250.0	807	1000	80.7	70 - 130	
Hexanes ND 50.0 4550 5000 91.0 70 - 130 Isopropanol (2-Propanol) ND 50.0 991 1000 99.1 70 - 130 Isopropyl Acetate ND 250.0 1020 1000 102 70 - 130 Methanol ND 250.0 912 1000 91.2 70 - 130 Dichloromethane ND 50.0 918 1000 91.8 70 - 130 Pentanes ND 250.0 2710 3000 90.5 70 - 130 Propane ND 250.0 805 1000 80.5 70 - 130 Tetrahydrofuran ND 50.0 1000 1000 100 70 - 130 Toluene ND 50.0 939 1000 93.9 70 - 130	Ethylene Oxide	ND	50.0	882	1000	88.2	70 - 130	
Isopropanol (2-Propanol) ND 50.0 991 1000 99.1 70 - 130 Isopropyl Acetate ND 250.0 1020 1000 102 70 - 130 Methanol ND 250.0 912 1000 91.2 70 - 130 Dichloromethane ND 50.0 918 1000 91.8 70 - 130 Pentanes ND 250.0 2710 3000 90.5 70 - 130 Propane ND 250.0 805 1000 80.5 70 - 130 Tetrahydrofuran ND 50.0 1000 1000 100 70 - 130 Toluene ND 50.0 939 1000 93.9 70 - 130	Heptane	ND	250.0	951	1000	95.1	70 - 130	
Isopropyl Acetate ND 250.0 1020 1000 102 70 - 130 Methanol ND 250.0 912 1000 91.2 70 - 130 Dichloromethane ND 50.0 918 1000 91.8 70 - 130 Pentanes ND 250.0 2710 3000 90.5 70 - 130 Propane ND 250.0 805 1000 80.5 70 - 130 Tetrahydrofuran ND 50.0 1000 1000 100 70 - 130 Toluene ND 50.0 939 1000 93.9 70 - 130	Hexanes	ND	50.0	4550	5000	91.0	70 - 130	
Methanol ND 250.0 912 1000 91.2 70 - 130 Dichloromethane ND 50.0 918 1000 91.8 70 - 130 Pentanes ND 250.0 2710 3000 90.5 70 - 130 Propane ND 250.0 805 1000 80.5 70 - 130 Tetrahydrofuran ND 50.0 1000 1000 100 70 - 130 Toluene ND 50.0 939 1000 93.9 70 - 130	Isopropanol (2-Propanol)	ND	50.0	991	1000	99.1	70 - 130	
Dichloromethane ND 50.0 918 1000 91.8 70 - 130 Pentanes ND 250.0 2710 3000 90.5 70 - 130 Propane ND 250.0 805 1000 80.5 70 - 130 Tetrahydrofuran ND 50.0 1000 1000 100 70 - 130 Toluene ND 50.0 939 1000 93.9 70 - 130	Isopropyl Acetate	ND	250.0	1020	1000	102	70 - 130	
Pentanes ND 250.0 2710 3000 90.5 70 - 130 Propane ND 250.0 805 1000 80.5 70 - 130 Tetrahydrofuran ND 50.0 1000 1000 100 70 - 130 Toluene ND 50.0 939 1000 93.9 70 - 130	Methanol	ND	250.0	912	1000	91.2	70 - 130	
Propane ND 250.0 805 1000 80.5 70 - 130 Tetrahydrofuran ND 50.0 1000 1000 100 70 - 130 Toluene ND 50.0 939 1000 93.9 70 - 130	Dichloromethane	ND	50.0	918	1000	91.8	70 - 130	
Tetrahydrofuran ND 50.0 1000 1000 100 70 - 130 Toluene ND 50.0 939 1000 93.9 70 - 130	Pentanes	ND	250.0	2710	3000	90.5	70 - 130	
Toluene ND 50.0 939 1000 93.9 70 - 130	Propane	ND	250.0	805	1000	80.5	70 - 130	
	Tetrahydrofuran	ND	50.0	1000	1000	100	70 - 130	
Xylenes ND 50.0 4160 4000 104 70 - 130	Toluene	ND	50.0	939	1000	93.9	70 - 130	
	Xylenes	ND	50.0	4160	4000	104	70 - 130	



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 9/25/2019 Analysis Date: 9/26/2019 Report Date: 9/27/2019

Metrc Batch ID: 1A4010300016315000015613 Metrc Sample ID: 1A4010300016315000015830 Harvest/Process Date: 9/23/2019 Report ID:

LS-190927-20

Qualifier Flag Descriptions

J	Reported result is an estimate - the value is less than the minimum calibration level but greater than the estimated detection limit (ED
U	The analyte was not detected in the sample at the estimated detection limit (EDL)
E	Exceeds calibration range
D	Dilution data - result was obtained from the analysis of a dilution
В	Analyte found in sample and associated blank
С	Co-eluting compound
R	Relative Percent Difference (RPD) outside control limits
NR	Analyte not reported because of problems in sample preparation or analysis
ND	Non-Detect
х	Results from reinjection/repeat/re-column data
EMC	Estimated maximum possible concentration - indicates that a peak is detected but did not meet the method required criteria
М	Manual integration
PS	Peaks split
НВ	Control acceptance criteria are exceeded high and the associated sample is below the detection limit
LB	Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
ME	Marginal Exceedance
LR	Low Recovery Analyte
LOQ	Limit of Quantitation