

info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

309 - Pina Colada RCO 11.12.19

Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Sample Type: Extracts Sample Date: 11/13/2019 Analysis Date: 11/14/2019 Report Date: 11/15/2019

Metrc Batch ID: 1A4010300016315000018507 Metrc Sample ID: 1A4010300016315000018589

Harvest/Process Date: 11/12/2019 Report ID: LS-191115-28

Potency

Potency Analysis Date: 11/14/2019 Potency Batch ID: CAN_111419A Potency Method: JAOAC 2015.1

Total 77.0% THC Total 0.563% **CBD**



Analyte	Description	LOQ	RPD	Min.	Max.	Avg.	
Д9ТНС	Delta-9 Tetrahydrocannabinol	0.16	0.428	76.8	77.1	77.0	_
THCA	Tetrahydrocannabinolic acid	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBD	Cannabidiol	0.16	17.3	0.514	0.611	0.563	•
CBDA	Cannabidiolic acid	0.16	0.00	<l0q< td=""><td><l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<></td></l0q<>	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
∆8THC	Delta-8 Tetrahydrocannabinol*	0.16	0.00	ND	ND	ND	
THCV	Tetrahydrocannabivarin*	0.16	13.4	0.678	0.776	0.727	•
CBG	Cannabigerol*	0.16	5.81	3.15	3.34	3.25	-
CBGA	Cannabigerolic acid*	0.16	3.07	0.436	0.450	0.443	•
CBC	Cannabichromene*	0.16	179	ND	2.95	1.48	•
CBCA	Cannabichromenic acid*	0.16	0.00	ND	ND	ND	
CBN	Cannabinol	0.16	13.6	0.939	1.08	1.01	•
Total THC	Δ9THC + (THCA × 0.877)		0.428	76.8	77.1	77.0	_
Total CBD	CBD + (CBDA × 0.877)		17.3	0.514	0.611	0.563	•
Total			3.19	82.5	86.3	84.4	

Compliance

Pesticides	Within limits	Analysis Date: 11/14/2019	Pass ⊘
Solvents	Within limits	Analysis Date: 11/14/2019	Pass ⊘
Potency	Within limits	Analysis Date: 11/14/2019	Pass ⊘

Prize Hate Bryce Kidd, Ph.D. Lab Director

Aaron Troyer

Chief Science Officer



Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-007. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

309 - Pina Colada RCO 11.12.19

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653



Terpenes* Sample Data

Sample Type: Extracts Sample Date: 11/13/2019 Analysis Date: 11/14/2019 Report Date: 11/15/2019 Metrc Batch ID:

1A4010300016315000018507 Metrc Sample ID: 1A4010300016315000018589

Terpene Analysis Date: 11/14/2019 Terpene Batch ID: TRP_111419A Harvest/Process Date: 11/12/2019 Report ID:

LS-191115-28

Method: JAOAC 2015.1 Unit: %

Analyte	Avg.	Notes
β-Caryophyllene	1.17%	
Selinadiene	0.649%	
a-Terpineol	0.518%	
Humulene	0.440%	
Linalool	0.417%	
β-Farnesene 2	0.249%	-
Limonene	0.0748%	•
β-Myrcene	0.0621%	•
a-Pinene	0.0287%	•
Fenchone	0.0238%	•
Azulene	ND	
Borneol	ND	
Camphene	ND	
Camphore	ND	
Caryophyllene Oxide	ND	
Cedrol	ND	
Cymene	ND	
Eucalyptol	ND	
Fenchol	ND	
Geraniol	ND	
Geranyl Acetate	ND	
Guaiol	ND	
Isoborneol	ND	
Isopulegol	ND	
Nerol	ND	
Pulegone	ND	
Sabinene	ND	
Sabinene Hydrate	ND	
Terpinolene	ND	

Analyte	Avg.	Notes
Valencene	ND	
cis-Nerolidol	ND	
trans-Nerolidol	ND	
∆3-Carene	ND	
a-Bisabolol	ND	
a-Cedrene	ND	
a-Ocimene	ND	
α-Phellandrene	ND	
a-Terpinene	ND	
β-Farnesene 1	ND	
β-Ocimene	ND	
β-Pinene	ND	
γ-Terpinene	ND	
γ-Terpineol	ND	
Total	3.63%	



Sample Type: Extracts

info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

309 - Pina Colada RCO 11.12.19

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

I

Pesticides

Sample Data

Sample Date: 11/13/2019 Analysis Date: 11/14/2019 Report Date: 11/15/2019

Metrc Batch ID:

1A4010300016315000018507 Metrc Sample ID: 1A4010300016315000018589 Harvest/Process Date: 11/12/2019

Report ID:

LS-191115-28

Pesticides Analysis Date: 11/14/2019 Pesticides Batch ID: PST_111419A **Method**: EN 15662 **Unit:** μg/g (ppm)

Pass ⊘

Analyte	JXH-MNC-TBJ	BWZ-BGM-BMH	Limits	LOQ	Notes	Status
Abamectin	ND	ND	0.5	0.1		Pass
Acephate	ND	ND	0.4	0.1		Pass
Acequinocyl	ND	ND	2.0	1.5		Pass
Acetamiprid	ND	ND	0.2	0.1		Pass
Aldicarb	ND	ND	0.4	0.1		Pass
Azoxystrobin	ND	ND	0.2	0.1		Pass
Bifenazate	ND	ND	0.2	0.1		Pass
Bifenthrin	ND	ND	0.2	0.1		Pass
Boscalid	ND	ND	0.4	0.1		Pass
Carbaryl	ND	ND	0.2	0.1		Pass
Carbofuran	ND	ND	0.2	0.1		Pass
Chlorantraniliprole	ND	ND	0.2	0.1		Pass
Chlorfenapyr	ND	ND	1.0	0.1		Pass
Chlorpyrifos	ND	ND	0.2	0.1		Pass
Clofentezine	ND	ND	0.2	0.1		Pass
Cyfluthrin	ND	ND	1.0	0.5		Pass
Cypermethrin	ND	ND	1.0	0.1		Pass
Daminozide	ND	ND	1.0	0.5		Pass
Diazinon	ND	ND	0.2	0.1		Pass
Dichlorvos (DDVP)	ND	ND	1.0	0.5		Pass
Dimethoate	ND	ND	0.2	0.1		Pass
Ethoprophos	ND	ND	0.2	0.1		Pass
Etofenprox	ND	ND	0.4	0.1		Pass
Etoxazole	ND	ND	0.2	0.1		Pass
Fenoxycarb	ND	ND	0.2	0.1		Pass
Fenpyroximate	ND	ND	0.4	0.1		Pass
Fipronil	ND	ND	0.4	0.1		Pass
Flonicamid	ND	ND	1.0	0.1		Pass
Fludioxonil	ND	ND	0.4	0.1		Pass
Hexythiazox	ND	ND	1.0	0.1		Pass
Imazalil	ND	ND	0.2	0.1		Pass
Imidacloprid	ND	ND	0.4	0.1		Pass
Kresoxim-methyl	ND	ND	0.4	0.1		Pass
Malathion	ND	ND	0.2	0.1		Pass

Analyte	JXH-MNC-TBJ	BWZ-BGM-BMH	Limits	LOQ	Notes	Status
Metalaxyl	ND	ND	0.2	0.1		Pass
Methiocarb	ND	ND	0.2	0.1		Pass
Methomyl	ND	ND	0.4	0.1		Pass
Methyl Parathion	ND	ND	0.2	0.2		Pass
MGK-264	ND	ND	0.2	0.2		Pass
Myclobutanil	ND	ND	0.2	0.1		Pass
Naled	ND	ND	0.5	0.2		Pass
Oxamyl	ND	ND	1.0	0.1		Pass
Paclobutrazol	ND	ND	0.4	0.1		Pass
Permethrins	ND	ND	0.2	0.1		Pass
Phosmet	ND	ND	0.2	0.1		Pass
Piperonyl Butoxide	ND	ND	2.0	0.1		Pass
Prallethrin	ND	ND	0.2	0.1		Pass
Propiconazole	ND	ND	0.4	0.1		Pass
Propoxur	ND	ND	0.2	0.1		Pass
Pyrethrins	ND	ND	1.0	0.5		Pass
Pyridaben	ND	ND	0.2	0.1		Pass
Spinosad	ND	ND	0.2	0.1		Pass
Spiromesifen	ND	ND	0.2	0.1		Pass
Spirotetramat	ND	ND	0.2	0.1		Pass
Spiroxamine	ND	ND	0.4	0.1		Pass
Tebuconazole	ND	ND	0.4	0.1		Pass
Thiacloprid	ND	ND	0.2	0.1		Pass
Thiamethoxam	ND	ND	0.2	0.1		Pass
Trifloxystrobin	ND	ND	0.2	0.1		Pass



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

309 - Pina Colada RCO 11.12.19

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

IJ

Sample Type: Extracts Sample Date: 11/13/2019 Analysis Date: 11/14/2019 Report Date: 11/15/2019 Metrc Batch ID: 1A4010300016315000018507 Metrc Sample ID: 1A4010300016315000018589

Pesticides QC Analysis Date: 11/14/2019

Pesticides QC Batch ID: PST 111419A

Harvest/Process Date: 11/12/2019 Report ID:

LS-191115-28

Method: EN 15662

Unit: µg/g (ppm)

Pesticides Quality Control Data

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Abamectin	ND	0.1	0.844	1.00	84.4	50 - 150	
Acephate	ND	0.1	0.446	1.00	44.6	50 - 150	LR
Acequinocyl	ND	1.5	ND	1.00	0.00	50 - 150	ND
Acetamiprid	ND	0.1	0.942	1.00	94.2	50 - 150	
Aldicarb	ND	0.1	0.525	1.00	52.5	50 - 150	
Azoxystrobin	ND	0.1	0.762	1.00	76.2	50 - 150	
Bifenazate	ND	0.1	0.740	1.00	74.0	50 - 150	
Bifenthrin	ND	0.1	0.973	1.00	97.3	50 - 150	
Boscalid	ND	0.1	0.677	1.00	67.7	50 - 150	
Carbaryl	ND	0.1	0.740	1.00	74.0	50 - 150	
Carbofuran	ND	0.1	1.07	1.00	107	50 - 150	
Chlorantraniliprole	ND	0.1	1.38	1.00	138	50 - 150	
Chlorfenapyr	ND	0.1	0.766	1.00	76.6	50 - 150	
Chlorpyrifos	ND	0.1	0.783	1.00	78.3	50 - 150	
Clofentezine	ND	0.1	0.883	1.00	88.3	50 - 150	
Cyfluthrin	ND	0.5	1.15	1.00	115	50 - 150	
Cypermethrin	ND	0.1	1.38	1.00	138	50 - 150	
Daminozide	ND	0.5	0.672	1.00	67.2	10 - 150	
Diazinon	ND	0.1	0.870	1.00	87.0	50 - 150	
Dichlorvos (DDVP)	ND	0.5	0.809	1.00	80.9	50 - 150	
Dimethoate	ND	0.1	0.750	1.00	75.0	50 - 150	
Ethoprophos	ND	0.1	0.960	1.00	96.0	50 - 150	
Etofenprox	ND	0.1	1.13	1.00	113	50 - 150	
Etoxazole	ND	0.1	1.12	1.00	112	50 - 150	
Fenoxycarb	ND	0.1	1.44	1.00	144	50 - 150	
Fenpyroximate	ND	0.1	0.952	1.00	95.2	50 - 150	
Fipronil	ND	0.1	0.971	1.00	97.1	50 - 150	
Flonicamid	ND	0.1	0.908	1.00	90.8	50 - 150	
Fludioxonil	ND	0.1	0.858	1.00	85.8	50 - 150	
Hexythiazox	ND	0.1	0.963	1.00	96.3	50 - 150	
Imazalil	ND	0.1	0.763	1.00	76.3	50 - 150	
Imidacloprid	ND	0.1	0.539	1.00	53.9	50 - 150	
Kresoxim-methyl	ND	0.1	1.14	1.00	114	50 - 150	
Malathion	ND	0.1	0.945	1.00	94.5	50 - 150	

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Metalaxyl	ND	0.1	0.719	1.00	71.9	50 - 150	
Methiocarb	ND	0.1	0.983	1.00	98.3	50 - 150	
Methomyl	ND	0.1	0.665	1.00	66.5	50 - 150	
Methyl Parathion	ND	0.2	0.140	1.00	14.0	30 - 150	LR
MGK-264	ND	0.2	0.742	0.600	124	50 - 150	
Myclobutanil	ND	0.1	0.729	1.00	72.9	50 - 150	
Naled	ND	0.2	0.539	1.00	53.9	50 - 150	
Oxamyl	ND	0.1	0.624	1.00	62.4	50 - 150	
Paclobutrazol	ND	0.1	0.654	1.00	65.4	50 - 150	
Permethrins	ND	0.1	0.758	1.00	75.8	50 - 150	
Phosmet	ND	0.1	0.746	1.00	74.6	50 - 150	
Piperonyl Butoxide	ND	0.1	0.645	1.00	64.5	50 - 150	
Prallethrin	ND	0.1	0.891	1.00	89.1	50 - 150	
Propiconazole	ND	0.1	0.999	1.00	99.9	50 - 150	
Propoxur	ND	0.1	0.699	1.00	69.9	50 - 150	
Pyrethrins	ND	0.5	1.93	1.00	193	50 - 150	HB
Pyridaben	ND	0.1	1.27	1.00	127	50 - 150	
Spinosad	ND	0.1	1.03	1.00	103	50 - 150	
Spiromesifen	ND	0.1	1.55	1.00	155	50 - 150	ME
Spirotetramat	ND	0.1	0.899	1.00	89.9	50 - 150	
Spiroxamine	ND	0.1	0.708	1.00	70.8	50 - 150	
Tebuconazole	ND	0.1	0.888	1.00	88.8	50 - 150	
Thiacloprid	ND	0.1	1.02	1.00	102	50 - 150	
Thiamethoxam	ND	0.1	0.887	1.00	88.7	50 - 150	
Trifloxystrobin	ND	0.1	0.964	1.00	96.4	50 - 150	

Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-067. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.



info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

309 - Pina Colada RCO 11.12.19

Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Analyte

Sample Type: Extracts Sample Date: 11/13/2019 Analysis Date: 11/14/2019 Report Date: 11/15/2019



1A4010300016315000018507 Metrc Sample ID: 1A4010300016315000018589

Metrc Batch ID:

Solvents Analysis Date: 11/14/2019

Harvest/Process Date: 11/12/2019 Report ID:

LS-191115-28

Method: EPA 5021A Pass 🥪 Solvents Batch ID: RES 111419A Unit: µg/g (ppm) JXH-MNC-TBJ BWZ-BGM-BMH RPD (%) Limits LOQ Notes Status

			= ()			
1,4-Dioxane	ND	ND	0.00	380.0	50.0	Pass
2-Butanol	ND	ND	0.00	5000.0	250.0	Pass
2-Ethoxyethanol	ND	ND	0.00	160.0	50.0	Pass
Acetone	ND	ND	0.00	5000.0	250.0	Pass
Acetonitrile	ND	ND	0.00	410.0	50.0	Pass
Benzene	ND	ND	0.00	2.0	2.0	Pass
Butanes	ND	ND	0.00	5000.0	250.0	Pass
Cumene	ND	ND	0.00	70.0	50.0	Pass
Cyclohexane	ND	ND	0.00	3880.0	50.0	Pass
Ethyl Acetate	ND	ND	0.00	5000.0	250.0	Pass
Ethyl Ether	ND	ND	0.00	5000.0	250.0	Pass
Ethylene Glycol	ND	ND	0.00	620.0	250.0	Pass
Ethylene Oxide	ND	ND	0.00	50.0	50.0	Pass
Heptane	ND	ND	0.00	5000.0	250.0	Pass
Hexanes	ND	ND	0.00	290.0	50.0	Pass
Isopropanol (2-Propanol)	ND	ND	0.00	5000.0	50.0	Pass
Isopropyl Acetate	ND	ND	0.00	5000.0	250.0	Pass
Methanol	ND	ND	0.00	3000.0	250.0	Pass
Dichloromethane	ND	ND	0.00	600.0	50.0	Pass
Pentanes	ND	ND	0.00	5000.0	250.0	Pass
Propane	ND	ND	0.00	5000.0	250.0	Pass
Tetrahydrofuran	ND	ND	0.00	720.0	50.0	Pass
Toluene	ND	ND	0.00	890.0	50.0	Pass
Xylenes	ND	ND	0.00	2170.0	50.0	Pass



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

309 - Pina Colada RCO 11.12.19

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

Xylenes

Sample Type: Extracts Sample Date: 11/13/2019 Analysis Date: 11/14/2019 Report Date: 11/15/2019 Metrc Batch ID: 1A4010300016315000018507 Metrc Sample ID: 1A4010300016315000018589 Harvest/Process Date: 11/12/2019 Report ID:

LS-191115-28

70 - 130

126

Residual Solvents Quality Control Da	ita		Solvents QC Analysis Da Solvents QC Batch ID: R		Method : EPA 5021A Unit: μg/g (ppm)		
Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
1,4-Dioxane	ND	50.0	1050	1000	105	70 - 130	
2-Butanol	ND	250.0	1120	1000	112	70 - 130	
2-Ethoxyethanol	ND	50.0	997	1000	99.7	70 - 130	
Acetone	ND	250.0	980	1000	98.0	70 - 130	
Acetonitrile	<l0q< td=""><td>50.0</td><td>1200</td><td>1000</td><td>120</td><td>70 - 130</td><td></td></l0q<>	50.0	1200	1000	120	70 - 130	
Benzene	ND	2.0	19.3	20.0	96.3	70 - 130	
Butanes	ND	250.0	2170	2000	109	70 - 130	
Cumene	ND	50.0	1110	1000	111	70 - 130	
Cyclohexane	ND	50.0	955	1000	95.5	70 - 130	
Ethyl Acetate	ND	250.0	1070	1000	107	70 - 130	
Ethyl Ether	ND	250.0	891	1000	89.1	70 - 130	
Ethylene Glycol	ND	250.0	910	1000	91.0	70 - 130	
Ethylene Oxide	ND	50.0	1010	1000	101	70 - 130	
Heptane	ND	250.0	1080	1000	108	70 - 130	
Hexanes	ND	50.0	5200	5000	104	70 - 130	
Isopropanol (2-Propanol)	ND	50.0	1100	1000	110	70 - 130	
Isopropyl Acetate	ND	250.0	1140	1000	114	70 - 130	
Methanol	ND	250.0	925	1000	92.5	70 - 130	
Dichloromethane	ND	50.0	970	1000	97.0	70 - 130	
Pentanes	ND	250.0	3130	3000	104	70 - 130	
Propane	ND	250.0	835	1000	83.5	70 - 130	
Tetrahydrofuran	ND	50.0	1150	1000	115	70 - 130	
Toluene	ND	50.0	1090	1000	109	70 - 130	

5030

50.0

ND

4000



info@lightscale.com 27 ORELAP #4112 OLCC #010-1003340D344

309 - Pina Colada RCO 11.12.19

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 11/13/2019 Analysis Date: 11/14/2019 Report Date: 11/15/2019 Metrc Batch ID: 1A4010300016315000018507 Metrc Sample ID: 1A4010300016315000018589 Harvest/Process Date: 11/12/2019 Report ID:

LS-191115-28

Qualifier Flag Descriptions

- J Reported result is an estimate the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
- U The analyte was not detected in the sample at the estimated detection limit (EDL)
- E Exceeds calibration range
- D Dilution data result was obtained from the analysis of a dilution
- B Analyte found in sample and associated blank
- C Co-eluting compound
- R Relative Percent Difference (RPD) outside control limits
- NR Analyte not reported because of problems in sample preparation or analysis
- ND Non-Detect
- X Results from reinjection/repeat/re-column data
- EMC Estimated maximum possible concentration indicates that a peak is detected but did not meet the method required criteria
- M Manual integration
- PS Peaks split
- HB Control acceptance criteria are exceeded high and the associated sample is below the detection limit
- LB Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
- ME Marginal Exceedance
- LR Low Recovery Analyte
- LOQ Limit of Quantitation