

info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

373 - Sour Sage RCO 1.31.20

Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Sample Type: Extracts Sample Date: 2/3/2020 Analysis Date: 2/4/2020 Report Date: 2/10/2020

Metrc Batch ID: 1A4010300016315000021859 Metrc Sample ID: 1A4010300016315000021877

Harvest/Process Date: 1/31/2020 Report ID: LS-200210-2 Sample Plan ID:SP-200203-5-B Sample Procedure: 160721 LAB-SOP_SampleCollection-v007

Potency

Potency Analysis Date: 2/7/2020 Potency Batch ID: CAN_020720D Potency Method: JAOAC 2015.1

80.1%	Total THC
0.0844%	Total CBD
Samples: FCJ-ZBD-FMD, TJW-XPM-BZR	



Analyte	Description	LOQ	RPD	Min.	Max.	Avg.	
Δ9THC	Delta-9 Tetrahydrocannabinol	0.16	1.95	79.3	80.9	80.1	_
THCA	Tetrahydrocannabinolic acid	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td>_</td></l0q<></td></l0q<>	<l0q< td=""><td>_</td></l0q<>	_
CBD	Cannabidiol	0.16	5.35	ND	0.169	0.0844	•
CBDA	Cannabidiolic acid	0.16	0.00	ND	ND	ND	_
∆8THC	Delta-8 Tetrahydrocannabinol*	0.16	0.00	ND	ND	ND	_
THCV	Tetrahydrocannabivarin*	0.16	30.9	0.389	0.532	0.460	•
CBG	Cannabigerol*	0.16	3.07	1.01	1.04	1.03	•
CBGA	Cannabigerolic acid*	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td>_</td></l0q<></td></l0q<>	<l0q< td=""><td>_</td></l0q<>	_
CBC	Cannabichromene*	0.16	1.83	0.927	0.944	0.935	•
CBCA	Cannabichromenic acid*	0.16	0.00	ND	ND	ND	_
CBN	Cannabinol	0.16	15.8	0.524	0.614	0.569	•
Total THC	Δ9THC + (THCA × 0.877)		1.95	79.3	80.9	80.1	_
Total CBD	CBD + (CBDA × 0.877)		5.35	ND	0.169	0.0844	•
Total			2.00	82.2	84.2	83.2	

Compliance

Pesticides	Within limits	Analysis Date: 2/4/2020	Pass ⊘
Solvents	Within limits	Analysis Date: 2/4/2020	Pass ⊘
Potency	Within limits	Analysis Date: 2/7/2020	Pass ⊘

ure Hat Bryce Kidd, Ph.D. Lab Director

Aaron Troyer

Chief Science Officer



Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-067. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.



info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

373 - Sour Sage RCO 1.31.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653



Terpenes* Sample Data

Sample Type: Extracts Sample Date: 2/3/2020 Analysis Date: 2/4/2020 Report Date: 2/10/2020 Metrc Batch ID:

1A4010300016315000021859 Metrc Sample ID: 1A4010300016315000021877

Terpene Analysis Date: 2/4/2020 Terpene Batch ID: TRP_020420A Sample Procedure: 160721_LAB-SOP_SampleCollection-v007

Sample Plan ID:SP-200203-5-B

Harvest/Process Date: 1/31/2020

Report ID: LS-200210-2

Method: JAOAC 2015.1 Unit: %

Analyte Avg	J. Notes
β-Caryophyllene 2.0	2%
Humulene 0.78	5%
β-Myrcene 0.46	6%
Linalool 0.36	1% 🛑
Limonene 0.31	2%
a-Terpineol 0.14	9%
a-Bisabolol 0.14	8%
Fenchol 0.12	1%
β-Pinene 0.06	•
Sabinene 0.06	•
Selinadiene 0.04	•
a-Pinene 0.04	•
β-Ocimene 0.04	•
Caryophyllene Oxide 0.01	•
Borneol 0.01	•
Terpinolene 0.01	•
a-Ocimene 0.009	20% •
Fenchone 0.004	87% •
Camphene 0.004	86% •
a-Terpinene 0.002	64%
Geraniol 0.002	63% •
γ-Terpinene 0.002	27% •
Δ3-Carene 0.001	67% •
Eucalyptol 0.001	32% •
Azulene NC	
Camphore NE	
Cedrol NC	
Cymene NE	
Geranyl Acetate NE	

Analyte	Avg.	Notes
Guaiol	ND	
Isoborneol	ND	
Isopulegol	ND	
Nerol	ND	
Pulegone	ND	
Sabinene Hydrate	ND	
Valencene	ND	
cis-Nerolidol	ND	
trans-Nerolidol	ND	
a-Cedrene	ND	
α-Phellandrene	ND	
β-Farnesene 1	ND	
β-Farnesene 2	ND	
γ-Terpineol	ND	
Total	4.69%	



info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

373 - Sour Sage RCO 1.31.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

Sample Date: 2/3/2020 Analysis Date: 2/4/2020 Report Date: 2/10/2020

Sample Type: Extracts

Metrc Batch ID:

1A4010300016315000021859 Metrc Sample ID: 1A4010300016315000021877 Harvest/Process Date: 1/31/2020 Report ID: LS-200210-2 Sample Plan ID:SP-200203-5-8 Sample Procedure: 160721_LAB-SOP_SampleCollection-v007

Pesticides Analysis Date: 2/4/2020 Pesticides Batch ID: PST_020420B **Method**: EN 15662 **Unit:** μg/g (ppm)

Pass ⊘

Pesticides Sample Data

Analyte	TJW-XPM-BZR	FCJ-ZBD-FMD	Limits	LOQ	Notes	Status
Abamectin	ND	ND	0.5	0.1		Pass
Acephate	ND	ND	0.4	0.1		Pass
Acequinocyl	ND	ND	2.0	1.5		Pass
Acetamiprid	ND	ND	0.2	0.1		Pass
Aldicarb	ND	ND	0.4	0.1		Pass
Azoxystrobin	ND	ND	0.2	0.1		Pass
Bifenazate	ND	ND	0.2	0.1		Pass
Bifenthrin	ND	ND	0.2	0.1		Pass
Boscalid	ND	ND	0.4	0.1		Pass
Carbaryl	ND	ND	0.2	0.1		Pass
Carbofuran	ND	ND	0.2	0.1		Pass
Chlorantraniliprole	ND	ND	0.2	0.1		Pass
Chlorfenapyr	ND	ND	1.0	0.1		Pass
Chlorpyrifos	ND	ND	0.2	0.1		Pass
Clofentezine	ND	ND	0.2	0.1		Pass
Cyfluthrin	ND	ND	1.0	0.5		Pass
Cypermethrin	ND	ND	1.0	0.1		Pass
Daminozide	ND	ND	1.0	0.5		Pass
Diazinon	ND	ND	0.2	0.1		Pass
Dichlorvos (DDVP)	ND	ND	1.0	0.5		Pass
Dimethoate	ND	ND	0.2	0.1		Pass
Ethoprophos	ND	ND	0.2	0.1		Pass
Etofenprox	ND	ND	0.4	0.1		Pass
Etoxazole	ND	ND	0.2	0.1		Pass
Fenoxycarb	ND	ND	0.2	0.1		Pass
Fenpyroximate	ND	ND	0.4	0.1		Pass
Fipronil	ND	ND	0.4	0.1		Pass
Flonicamid	ND	ND	1.0	0.1		Pass
Fludioxonil	ND	ND	0.4	0.1		Pass
Hexythiazox	ND	ND	1.0	0.1		Pass
Imazalil	ND	ND	0.2	0.1		Pass
Imidacloprid	ND	ND	0.4	0.1		Pass
Kresoxim-methyl	ND	ND	0.4	0.1		Pass
Malathion	ND	ND	0.2	0.1		Pass

Analyte	TJW-XPM-BZR	FCJ-ZBD-FMD	Limits	LOQ	Notes	Status
Metalaxyl	ND	ND	0.2	0.1		Pass
Methiocarb	ND	ND	0.2	0.1		Pass
Methomyl	ND	ND	0.4	0.1		Pass
Methyl Parathion	ND	ND	0.2	0.2		Pass
MGK-264	ND	ND	0.2	0.2		Pass
Myclobutanil	ND	ND	0.2	0.1		Pass
Naled	ND	ND	0.5	0.2		Pass
Oxamyl	ND	ND	1.0	0.1		Pass
Paclobutrazol	ND	ND	0.4	0.1		Pass
Permethrins	ND	ND	0.2	0.1		Pass
Phosmet	ND	ND	0.2	0.1		Pass
Piperonyl Butoxide	ND	ND	2.0	0.1		Pass
Prallethrin	ND	ND	0.2	0.1		Pass
Propiconazole	ND	ND	0.4	0.1		Pass
Propoxur	ND	ND	0.2	0.1		Pass
Pyrethrins	ND	ND	1.0	0.5		Pass
Pyridaben	ND	ND	0.2	0.1		Pass
Spinosad	ND	ND	0.2	0.1		Pass
Spiromesifen	ND	ND	0.2	0.1		Pass
Spirotetramat	ND	ND	0.2	0.1		Pass
Spiroxamine	ND	ND	0.4	0.1		Pass
Tebuconazole	ND	ND	0.4	0.1		Pass
Thiacloprid	ND	ND	0.2	0.1		Pass
Thiamethoxam	ND	ND	0.2	0.1		Pass
Trifloxystrobin	ND	ND	0.2	0.1		Pass



info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

373 - Sour Sage RCO 1.31.20

Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

IJ

Pesticides

Sample Type: Extracts Sample Date: 2/3/2020 Analysis Date: 2/4/2020 Report Date: 2/10/2020

Metrc Batch ID:

1A4010300016315000021859 Metrc Sample ID: 1A4010300016315000021877

Pesticides QC Analysis Date: 2/4/2020

Pesticides QC Batch ID: PST 020420B

Harvest/Process Date: 1/31/2020 Report ID: LS-200210-2 Sample Plan ID:SP-200203-5-B Sample Procedure: 160721_LAB-SOP_SampleCollection-v007

Method: EN 15662

Unit: µg/g (ppm)

Quality Control Data

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Abamectin	ND	0.1	0.883	1.00	88.3	50 - 150	
Acephate	ND	0.1	0.895	1.00	89.5	50 - 150	
Acequinocyl	ND	1.5	0.696	1.00	69.6	50 - 150	
Acetamiprid	ND	0.1	0.949	1.00	94.9	50 - 150	
Aldicarb	ND	0.1	0.837	1.00	83.7	50 - 150	
Azoxystrobin	ND	0.1	1.07	1.00	107	50 - 150	
Bifenazate	ND	0.1	2.55	1.00	255	50 - 150	HB
Bifenthrin	ND	0.1	0.857	1.00	85.7	50 - 150	
Boscalid	ND	0.1	0.966	1.00	96.6	50 - 150	
Carbaryl	ND	0.1	0.941	1.00	94.1	50 - 150	
Carbofuran	ND	0.1	0.942	1.00	94.2	50 - 150	
Chlorantraniliprole	ND	0.1	1.05	1.00	105	50 - 150	
Chlorfenapyr	ND	0.1	0.910	1.00	91.0	50 - 150	
Chlorpyrifos	ND	0.1	0.860	1.00	86.0	50 - 150	
Clofentezine	ND	0.1	0.891	1.00	89.1	50 - 150	
Cyfluthrin	ND	0.5	0.902	1.00	90.2	50 - 150	
Cypermethrin	ND	0.1	1.01	1.00	101	50 - 150	
Daminozide	ND	0.5	0.283	1.00	28.3	10 - 150	
Diazinon	ND	0.1	0.869	1.00	86.9	50 - 150	
Dichlorvos (DDVP)	ND	0.5	0.891	1.00	89.1	50 - 150	
Dimethoate	ND	0.1	0.876	1.00	87.6	50 - 150	
Ethoprophos	ND	0.1	0.928	1.00	92.8	50 - 150	
Etofenprox	ND	0.1	0.892	1.00	89.2	50 - 150	
Etoxazole	ND	0.1	0.858	1.00	85.8	50 - 150	
Fenoxycarb	ND	0.1	1.11	1.00	111	50 - 150	
Fenpyroximate	ND	0.1	0.868	1.00	86.8	50 - 150	
Fipronil	ND	0.1	0.937	1.00	93.7	50 - 150	
Flonicamid	ND	0.1	0.924	1.00	92.4	50 - 150	
Fludioxonil	ND	0.1	0.921	1.00	92.1	50 - 150	
Hexythiazox	ND	0.1	0.757	1.00	75.7	50 - 150	
Imazalil	ND	0.1	1.07	1.00	107	50 - 150	
Imidacloprid	ND	0.1	0.862	1.00	86.2	50 - 150	
Kresoxim-methyl	ND	0.1	0.953	1.00	95.3	50 - 150	
Malathion	ND	0.1	1.03	1.00	103	50 - 150	

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Metalaxyl	ND	0.1	0.974	1.00	97.4	50 - 150	
Methiocarb	ND	0.1	0.976	1.00	97.6	50 - 150	
Methomyl	ND	0.1	0.985	1.00	98.5	50 - 150	
Methyl Parathion	ND	0.2	0.721	1.00	72.1	30 - 150	
MGK-264	ND	0.2	0.555	0.600	92.4	50 - 150	
Myclobutanil	ND	0.1	1.09	1.00	109	50 - 150	
Naled	ND	0.2	1.49	1.00	149	50 - 150	
Oxamyl	ND	0.1	0.973	1.00	97.3	50 - 150	
Paclobutrazol	ND	0.1	0.925	1.00	92.5	50 - 150	
Permethrins	ND	0.1	1.05	1.00	105	50 - 150	
Phosmet	ND	0.1	0.992	1.00	99.2	50 - 150	
Piperonyl Butoxide	ND	0.1	0.911	1.00	91.1	50 - 150	
Prallethrin	ND	0.1	1.06	1.00	106	50 - 150	
Propiconazole	ND	0.1	1.00	1.00	100	50 - 150	
Propoxur	ND	0.1	0.941	1.00	94.1	50 - 150	
Pyrethrins	ND	0.5	0.424	1.00	42.4	50 - 150	LR
Pyridaben	ND	0.1	1.04	1.00	104	50 - 150	
Spinosad	ND	0.1	1.01	1.00	101	50 - 150	
Spiromesifen	ND	0.1	1.07	1.00	107	50 - 150	
Spirotetramat	ND	0.1	1.09	1.00	109	50 - 150	
Spiroxamine	ND	0.1	0.913	1.00	91.3	50 - 150	
Tebuconazole	ND	0.1	1.04	1.00	104	50 - 150	
Thiacloprid	ND	0.1	0.909	1.00	90.9	50 - 150	
Thiamethoxam	ND	0.1	1.02	1.00	102	50 - 150	
Trifloxystrobin	ND	0.1	0.974	1.00	97.4	50 - 150	

Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-007. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.




info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

373 - Sour Sage RCO 1.31.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

Analyte

Sample Type: Extracts Sample Date: 2/3/2020 Analysis Date: 2/4/2020 Report Date: 2/10/2020



Harvest/Process Date: 1/31/2020 Report ID: LS-200210-2 Sample Plan ID:SP-200203-5-8 Sample Procedure: 160721_LAB-SOP_SampleCollection-v007

 Residual Solvents
 Solvents Analysis Date: 2/4/2020
 Method: EPA 5021A
 Pass (C)

 Sample Data
 TJW-XPM-BZR
 FCJ-ZBD-FMD
 RPD (%)
 Limits
 LOQ
 Notes
 Status

			= ()			
1,4-Dioxane	ND	ND	0.00	380.0	50.0	Pass
2-Butanol	ND	ND	0.00	5000.0	250.0	Pass
2-Ethoxyethanol	ND	ND	0.00	160.0	50.0	Pass
Acetone	ND	<l0q< td=""><td>0.00</td><td>5000.0</td><td>250.0</td><td>Pass</td></l0q<>	0.00	5000.0	250.0	Pass
Acetonitrile	ND	ND	0.00	410.0	50.0	Pass
Benzene	ND	ND	0.00	2.0	2.0	Pass
Butanes	ND	ND	0.00	5000.0	250.0	Pass
Cumene	ND	ND	0.00	70.0	50.0	Pass
Cyclohexane	ND	ND	0.00	3880.0	50.0	Pass
Ethyl Acetate	ND	ND	0.00	5000.0	250.0	Pass
Ethyl Ether	ND	ND	0.00	5000.0	250.0	Pass
Ethylene Glycol	ND	ND	0.00	620.0	250.0	Pass
Ethylene Oxide	ND	ND	0.00	50.0	50.0	Pass
Heptane	ND	ND	0.00	5000.0	250.0	Pass
Hexanes	ND	ND	0.00	290.0	50.0	Pass
Isopropanol (2-Propanol)	ND	ND	0.00	5000.0	50.0	Pass
Isopropyl Acetate	ND	ND	0.00	5000.0	250.0	Pass
Methanol	ND	ND	0.00	3000.0	250.0	Pass
Dichloromethane	ND	ND	0.00	600.0	50.0	Pass
Pentanes	ND	ND	0.00	5000.0	250.0	Pass
Propane	ND	ND	0.00	5000.0	250.0	Pass
Tetrahydrofuran	ND	ND	0.00	720.0	50.0	Pass
Toluene	ND	ND	0.00	890.0	50.0	Pass
Xylenes	ND	ND	0.00	2170.0	50.0	Pass



info@lightscale.com ORFI AP #4112 OLCC #010-1003340D344

373 - Sour Sage RCO 1.31.20

Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Propage

Toluene

Xylenes

Tetrahydrofuran

Sample Type: Extracts Sample Date: 2/3/2020 Analysis Date: 2/4/2020 Report Date: 2/10/2020

ND

ND

ND

ND

250.0

50.0

50.0

50.0

Metrc Batch ID:

1A4010300016315000021859 Metrc Sample ID: 1A4010300016315000021877

Solvents QC Analysis Date: 2/4/2020

Harvest/Process Date: 1/31/2020 Report ID: LS-200210-2 Sample Plan ID:SP-200203-5-B Sample Procedure: 160721 | AB-SOP_SampleCollection-v007

Method: EPA 5021A

70 - 130

70 - 130

70 - 130

70 - 130

Residual Solvents 0 Solvents QC Batch ID: RES 020420A Unit: ua/a (ppm) **Quality Control Data** Analyte Blank LOQ LCS LCS Spike LCS Rec (%) Limits (%) Notes 1,4-Dioxane ND 887 88.7 70 - 130 50.0 1000 2-Butanol ND 250.0 912 1000 91.2 70 - 130 2-Ethoxvethanol 50.0 816 1000 81.6 70 - 130 ND Acetone ND 250.0 859 1000 85.9 70 - 130 Acetonitrile ND 50.0 897 1000 89.7 70 - 130 2.0 20.0 93.4 70 - 130 Benzene ND 18.7 Butanes ND 250.0 1700 2000 84.8 70 - 130 Cumene ND 50.0 915 1000 91.5 70 - 130 Cyclohexane ND 50.0 845 1000 84.5 70 - 130 Ethyl Acetate 250.0 1000 89.8 70 - 130 ND 898 Ethyl Ether ND 250.0 835 1000 83.5 70 - 130 Ethylene Glycol ND 250.0 749 1000 74.9 70 - 130 Ethylene Oxide 50.0 1000 86.2 70 - 130 ND 862 250.0 Heptane 880 1000 88.0 70 - 130 ND Hexanes ND 50.0 4270 5000 85.4 70 - 130 Isopropanol (2-Propanol) ND 50.0 893 1000 89.3 70 - 130 Isopropyl Acetate 250.0 1000 89.9 70 - 130 ND 899 Methanol ND 250.0 900 1000 90.0 70 - 130 Dichloromethane ND 50.0 876 1000 87.6 70 - 130 Pentanes ND 250.0 2530 3000 84.5 70 - 130

747

917

893

3740

1000

1000

1000

4000

74.7

91.7

89.3

93.6

Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-067. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

373 - Sour Sage RCO 1.31.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 2/3/2020 Analysis Date: 2/4/2020 Report Date: 2/10/2020
 Metrc Batch ID:

 1A4010300016315000021859

 Metrc Sample ID:

 1A4010300016315000021877

Harvest/Process Date: 1/31/2020 Report ID: LS-200210-2 Sample Plan ID:SP-200203-5-B Sample Procedure: 160721_LAB-SOP_SampleCollection-v007

Qualifier Flag Descriptions

- J Reported result is an estimate the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
- U The analyte was not detected in the sample at the estimated detection limit (EDL)
- E Exceeds calibration range
- D Dilution data result was obtained from the analysis of a dilution
- B Analyte found in sample and associated blank
- C Co-eluting compound
- R Relative Percent Difference (RPD) outside control limits
- NR Analyte not reported because of problems in sample preparation or analysis
- ND Non-Detect
- X Results from reinjection/repeat/re-column data
- EMC Estimated maximum possible concentration indicates that a peak is detected but did not meet the method required criteria
- M Manual integration
- PS Peaks split
- HB Control acceptance criteria are exceeded high and the associated sample is below the detection limit
- LB Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
- ME Marginal Exceedance
- LR Low Recovery Analyte
- LOQ Limit of Quantitation