

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 4/27/2020 Analysis Date: 4/30/2020 Report Date: 5/4/2020 Metrc Batch ID: 1A4010300016315000024436 Metrc Sample ID: 1A4010300016315000024438 Harvest/Process Date: 4/26/2020 Report ID: LS-200504-2 Sample Plan ID:SP-200427-5-B Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008

#### **Potency**

Potency Analysis Date: 4/30/2020 Potency Batch ID: CAN\_043020C Potency Method: JAOAC 2015.1

**72.2%** 

Total THC

<LOQ

Total CBD

Samples: MSC-DBJ-TXF, SHT-BRJ-PHX



Analyte	Description	LOQ	RPD	Min.	Max.	Avg.	
<b>Д9ТНС</b>	Delta-9 Tetrahydrocannabinol	0.16	2.75	70.5	72.4	71.5	
THCA	Tetrahydrocannabinolic acid	0.16	5.65	0.815	0.863	0.839	•
CBD	Cannabidiol	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBDA	Cannabidiolic acid	0.16	0.00	ND	ND	ND	
∆8ТНС	Delta-8 Tetrahydrocannabinol*	0.16	0.00	ND	ND	ND	
гнсу	Tetrahydrocannabivarin*	0.16	7.57	1.88	2.03	1.96	•
CBG	Cannabigerol*	0.16	5.36	1.95	2.06	2.01	•
CBGA	Cannabigerolic acid*	0.16	7.76	0.817	0.883	0.850	•
CBC	Cannabichromene*	0.16	19.4	1.03	1.25	1.14	•
CBCA	Cannabichromenic acid*	0.16	0.00	ND	ND	ND	
CBN	Cannabinol	0.16	44.5	0.306	0.481	0.393	•
Total THC	Δ9THC + (THCA × 0.877)		2.66	71.2	73.2	72.2	
Total CBD	CBD + (CBDA × 0.877)		0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
Total			2.74	77.3	80.0	78.6	

#### **Compliance**

Pesticides	Within limits	Analysis Date: 5/1/2020	Pass 🕢
Solvents	Within limits	Analysis Date: 5/1/2020	Pass 🕢
Potency	Within limits	Analysis Date: 4/30/2020	Pass 🕢

Bryce Kidd, Ph.D. Lab Director

Aaron Troyer // Chief Science Officer





Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 4/27/2020 Analysis Date: 4/30/2020 Report Date: 5/4/2020 Metrc Batch ID: 1A4010300016315000024436 Metrc Sample ID: 1A4010300016315000024438 Harvest/Process Date: 4/26/2020 Report ID: LS-200504-2 Sample Plan ID:SP-200427-5-B Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008

Terpenes\*
Sample Data

Terpene Analysi	s Date: 5/1/2020
Terpene Batch II	D: TRP_050120A

Method: JAOAC 2015.1

Unit: %

Analyte	Avg.	Notes
β-Caryophyllene	1.84%	
Humulene	0.598%	
β-Farnesene 2	0.182%	
α-Bisabolol	0.174%	
α-Terpineol	0.0853%	
Guaiol	0.0682%	
Linalool	0.0565%	
Selinadiene	0.0329%	
Caryophyllene Oxide	0.0299%	
Fenchol	0.0296%	
Terpinolene	0.0161%	
Limonene	0.00698%	
α-Terpinene	0.00443%	
Cymene	0.00428%	
Borneol	0.00414%	
γ-Terpinene	0.00333%	
Δ3-Carene	0.00263%	
α-Phellandrene	0.00236%	
α-Pinene	0.00211%	
Camphene	0.00156%	
β-Myrcene	0.00120%	
β-Pinene	0.000915%	
Fenchone	0.000476%	
Azulene	ND	
Camphore	ND	
Cedrol	ND	
Eucalyptol	ND	
Geraniol	ND	
Geranyl Acetate	ND	

Analyte	Avg.	Notes	
Isoborneol	ND		
Isopulegol	ND		
Nerol	ND		
Pulegone	ND		
Sabinene	ND		
Sabinene Hydrate	ND		
Valencene	ND		
cis-Nerolidol	ND		
trans-Nerolidol	ND		
α-Cedrene	ND		
α-Ocimene	ND		
β-Farnesene 1	ND		
β-Ocimene	ND		
γ-Terpineol	ND		
Total	3.15%		



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 4/27/2020 Analysis Date: 4/30/2020 Report Date: 5/4/2020 Metrc Batch ID: 1A4010300016315000024436 Metrc Sample ID: 1A4010300016315000024438 Harvest/Process Date: 4/26/2020 Report ID: LS-200504-2 Sample Plan ID:SP-200427-5-B Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008



Pesticides Analysis Date: 5/1/2020 Pesticides Batch ID: PST\_050120A Method: EN 15662 Unit: μg/g (ppm) Pass 🕢

Analyte	SHT-BRJ-PHX	MSC-DBJ-TXF	Limits	LOQ	Notes	Status
Abamectin	ND	ND	0.5	0.1		Pass
Acephate	ND	ND	0.4	0.1		Pass
Acequinocyl	ND	ND	2.0	1.5		Pass
Acetamiprid	ND	ND	0.2	0.1		Pass
Aldicarb	ND	ND	0.4	0.1		Pass
Azoxystrobin	ND	ND	0.2	0.1		Pass
Bifenazate	ND	ND	0.2	0.1		Pass
Bifenthrin	ND	ND	0.2	0.1		Pass
Boscalid	ND	ND	0.4	0.1		Pass
Carbaryl	ND	ND	0.2	0.1		Pass
Carbofuran	ND	ND	0.2	0.1		Pass
Chlorantraniliprole	ND	ND	0.2	0.1		Pass
Chlorfenapyr	ND	ND	1.0	0.1		Pass
Chlorpyrifos	ND	ND	0.2	0.1		Pass
Clofentezine	ND	ND	0.2	0.1		Pass
Cyfluthrin	ND	ND	1.0	0.5		Pass
Cypermethrin	ND	ND	1.0	0.1		Pass
Daminozide	ND	ND	1.0	0.5		Pass
Diazinon	ND	ND	0.2	0.1		Pass
Dichlorvos (DDVP)	ND	ND	1.0	0.5		Pass
Dimethoate	ND	ND	0.2	0.1		Pass
Ethoprophos	ND	ND	0.2	0.1		Pass
Etofenprox	ND	ND	0.4	0.1		Pass
Etoxazole	ND	ND	0.2	0.1		Pass
Fenoxycarb	ND	ND	0.2	0.1		Pass
Fenpyroximate	ND	ND	0.4	0.1		Pass
Fipronil	ND	ND	0.4	0.1		Pass
Flonicamid	ND	ND	1.0	0.1		Pass
Fludioxonil	ND	ND	0.4	0.1		Pass
Hexythiazox	ND	ND	1.0	0.1		Pass
Imazalil	ND	ND	0.2	0.1		Pass
Imidacloprid	ND	ND	0.4	0.1		Pass
Kresoxim-methyl	ND	ND	0.4	0.1		Pass
Malathion	ND	ND	0.2	0.1		Pass

Analyte	SHT-BRJ-PHX	MSC-DBJ-TXF	Limits	LOQ	Notes	Status
Metalaxyl	ND	ND	0.2	0.1		Pass
Methiocarb	ND	ND	0.2	0.1		Pass
Methomyl	ND	ND	0.4	0.1		Pass
Methyl Parathion	ND	ND	0.2	0.2		Pass
MGK-264	ND	ND	0.2	0.2		Pass
Myclobutanil	ND	ND	0.2	0.1		Pass
Naled	ND	ND	0.5	0.2		Pass
Oxamyl	ND	ND	1.0	0.1		Pass
Paclobutrazol	ND	ND	0.4	0.1		Pass
Permethrins	ND	ND	0.2	0.1		Pass
Phosmet	ND	ND	0.2	0.1		Pass
Piperonyl Butoxide	ND	ND	2.0	0.1		Pass
Prallethrin	ND	ND	0.2	0.1		Pass
Propiconazole	ND	ND	0.4	0.1		Pass
Propoxur	ND	ND	0.2	0.1		Pass
Pyrethrins	ND	ND	1.0	0.5		Pass
Pyridaben	ND	ND	0.2	0.1		Pass
Spinosad	ND	ND	0.2	0.1		Pass
Spiromesifen	ND	ND	0.2	0.1		Pass
Spirotetramat	ND	ND	0.2	0.1		Pass
Spiroxamine	ND	ND	0.4	0.1		Pass
Tebuconazole	ND	ND	0.4	0.1		Pass
Thiacloprid	ND	ND	0.2	0.1		Pass
Thiamethoxam	ND	ND	0.2	0.1		Pass
Trifloxystrobin	ND	ND	0.2	0.1		Pass



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 4/27/2020 Analysis Date: 4/30/2020 Report Date: 5/4/2020 Metrc Batch ID: 1A4010300016315000024436 Metrc Sample ID: 1A4010300016315000024438 Harvest/Process Date: 4/26/2020 Report ID: LS-200504-2 Sample Plan ID:SP-200427-5-B Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008



## Pesticides Quality Control Data

	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
ND	0.1	0.706	1.00	70.6	50 - 150	
ND	0.1	0.604	1.00	60.4	50 - 150	
ND	1.5	0.909	1.00	90.9	50 - 150	
ND	0.1	0.657	1.00	65.7	50 - 150	
ND	0.1	0.804	1.00	80.4	50 - 150	
ND	0.1	1.06	1.00	106	50 - 150	
ND	0.1	0.974	1.00	97.4	50 - 150	
ND	0.1	0.928	1.00	92.8	50 - 150	
ND	0.1	0.888	1.00	88.8	50 - 150	
ND	0.1	0.747	1.00	74.7	50 - 150	
ND	0.1	0.646	1.00	64.6	50 - 150	
ND	0.1	1.11	1.00	111	50 - 150	
ND	0.1	0.730	1.00	73.0	50 - 150	
ND	0.1	0.705	1.00	70.5	50 - 150	
ND	0.1	0.741	1.00	74.1	50 - 150	
ND	0.5	0.859	1.00	85.9	50 - 150	
ND	0.1	0.743	1.00	74.3	50 - 150	
ND	0.5	0.319	1.00	31.9	10 - 150	
ND	0.1	0.721	1.00	72.1	50 - 150	
ND	0.5	0.419	1.00	41.9	50 - 150	LR
ND	0.1	0.704	1.00	70.4	50 - 150	
ND	0.1	0.582	1.00	58.2	50 - 150	
ND	0.1	0.842	1.00	84.2	50 - 150	
ND	0.1	1.31	1.00	131	50 - 150	
ND	0.1	0.926	1.00	92.6	50 - 150	
ND	0.1	0.850	1.00	85.0	50 - 150	
ND	0.1	0.717	1.00	71.7	50 - 150	
ND	0.1	0.694	1.00	69.4	50 - 150	
ND	0.1	0.772	1.00	77.2	50 - 150	
ND	0.1	0.805	1.00	80.5	50 - 150	
ND	0.1	0.790	1.00	79.0	50 - 150	
ND	0.1	0.892	1.00	89.2	50 - 150	
ND	0.1	0.704	1.00	70.4	50 - 150	
ND	0.1	0.589	1.00	58.9	50 - 150	
	ND N	ND	ND 0.1 0.706 ND 0.1 0.604 ND 1.5 0.909 ND 0.1 0.657 ND 0.1 0.804 ND 0.1 0.974 ND 0.1 0.747 ND 0.1 0.705 ND 0.1 0.705 ND 0.1 0.705 ND 0.1 0.705 ND 0.1 0.743 ND 0.1 0.744 ND 0.5 0.859 ND 0.1 0.721 ND 0.1 0.704 ND 0.1 0.885 ND 0.1 0.704 ND 0.1 0.885 ND 0.1 0.772 ND 0.1 0.694 ND 0.1 0.772 ND 0.1 0.895 ND 0.1 0.7790 ND 0.1 0.895 ND 0.1 0.790 ND 0.1 0.895 ND 0.1 0.790 ND 0.1 0.790 ND 0.1 0.895	ND         0.1         0.706         1.00           ND         0.1         0.604         1.00           ND         1.5         0.909         1.00           ND         0.1         0.657         1.00           ND         0.1         0.804         1.00           ND         0.1         1.06         1.00           ND         0.1         0.928         1.00           ND         0.1         0.888         1.00           ND         0.1         0.747         1.00           ND         0.1         0.747         1.00           ND         0.1         0.747         1.00           ND         0.1         0.743         1.00           ND         0.1         0.743         1.00           ND         0.1         0.743         1.00           ND         0.1         0.743         1.00           ND         0.1         0.721         1.00           ND         0.1         0.721         1.00           ND         0.1         0.721         1.00           ND         0.1         0.782         1.00           ND         0.1	ND 0.1 0.706 1.00 70.6  ND 0.1 0.604 1.00 60.4  ND 1.5 0.909 1.00 90.9  ND 0.1 0.657 1.00 65.7  ND 0.1 0.804 1.00 80.4  ND 0.1 1.06 1.00 106  ND 0.1 0.974 1.00 97.4  ND 0.1 0.888 1.00 92.8  ND 0.1 0.747 1.00 74.7  ND 0.1 0.747 1.00 74.7  ND 0.1 0.705 1.00 70.5  ND 0.1 0.741 1.00 74.1  ND 0.1 0.741 1.00 74.1  ND 0.1 0.743 1.00 74.3  ND 0.1 0.743 1.00 74.3  ND 0.1 0.721 1.00 72.1  ND 0.1 0.704 1.00 70.4  ND 0.1 0.882 1.00 92.1  ND 0.1 0.882 1.00 70.4  ND 0.1 0.701 1.00 70.5  ND 0.1 0.741 1.00 74.3  ND 0.5 0.319 1.00 72.1  ND 0.5 0.419 1.00 70.4  ND 0.1 0.704 1.00 70.4  ND 0.1 0.882 1.00 84.2  ND 0.1 0.850 1.00 84.2  ND 0.1 0.850 1.00 92.6  ND 0.1 0.771 1.00 71.7  ND 0.1 0.850 1.00 92.6  ND 0.1 0.772 1.00 77.2  ND 0.1 0.772 1.00 77.2  ND 0.1 0.794 1.00 69.4  ND 0.1 0.772 1.00 77.2  ND 0.1 0.895 1.00 85.5  ND 0.1 0.772 1.00 77.2  ND 0.1 0.895 1.00 85.5  ND 0.1 0.772 1.00 77.2  ND 0.1 0.892 1.00 89.2  ND 0.1 0.892 1.00 89.2  ND 0.1 0.892 1.00 89.2	ND 0.1 0.706 1.00 70.6 50 - 150 ND 0.1 0.604 1.00 60.4 50 - 150 ND 1.5 0.909 1.00 90.9 50 - 150 ND 0.1 0.657 1.00 65.7 50 - 150 ND 0.1 0.804 1.00 80.4 50 - 150 ND 0.1 1.06 1.00 106 50 - 150 ND 0.1 0.974 1.00 97.4 50 - 150 ND 0.1 0.928 1.00 92.8 50 - 150 ND 0.1 0.888 1.00 88.8 50 - 150 ND 0.1 0.747 1.00 74.7 50 - 150 ND 0.1 1.11 1.00 111 50 - 150 ND 0.1 0.730 1.00 73.0 50 - 150 ND 0.1 0.730 1.00 74.1 50 - 150 ND 0.1 0.741 1.00 74.1 50 - 150 ND 0.1 0.743 1.00 74.3 50 - 150 ND 0.1 0.743 1.00 74.3 50 - 150 ND 0.1 0.743 1.00 74.3 50 - 150 ND 0.1 0.721 1.00 72.1 50 - 150 ND 0.1 0.705 1.00 70.5 50 - 150 ND 0.1 0.704 1.00 70.4 50 - 150 ND 0.1 0.705 1.00 70.5 50 - 150 ND 0.1 0.743 1.00 74.3 50 - 150 ND 0.1 0.743 1.00 74.3 50 - 150 ND 0.1 0.721 1.00 72.1 50 - 150 ND 0.1 0.704 1.00 70.4 50 - 150 ND 0.1 0.882 1.00 84.2 50 - 150 ND 0.1 0.892 1.00 85.0 50 - 150 ND 0.1 0.926 1.00 92.6 50 - 150 ND 0.1 0.772 1.00 77.2 50 - 150 ND 0.1 0.895 1.00 80.5 50 - 150 ND 0.1 0.892 1.00 80.5 50 - 150 ND 0.1 0.704 1.00 77.2 50 - 150 ND 0.1 0.704 1.00 77.2 50 - 150 ND 0.1 0.704 1.00 77.2 50 - 150 ND 0.1 0.892 1.00 80.5 50 - 150 ND 0.1 0.704 1.00 77.2 50 - 150 ND 0.1 0.704 1.00 77.2 50 - 150 ND 0.1 0.704 1.00 77.2 50 - 150

Pesticides QC Analysis Date: 5/1/2020 Method: EN 15662 Pesticides QC Batch ID: PST\_050120A Unit: μg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Metalaxyl	ND	0.1	0.950	1.00	95.0	50 - 150	
Methiocarb	ND	0.1	0.875	1.00	87.5	50 - 150	
Methomyl	ND	0.1	0.777	1.00	77.7	50 - 150	
Methyl Parathion	ND	0.2	0.136	1.00	13.6	30 - 150	LR
MGK-264	ND	0.2	0.289	0.600	48.1	50 - 150	ME
Myclobutanil	ND	0.1	1.05	1.00	105	50 - 150	
Naled	ND	0.2	0.734	1.00	73.4	50 - 150	
0xamy1	ND	0.1	0.691	1.00	69.1	50 - 150	
Paclobutrazol	ND	0.1	0.729	1.00	72.9	50 - 150	
Permethrins	ND	0.1	1.22	1.00	122	50 - 150	
Phosmet	ND	0.1	0.801	1.00	80.1	50 - 150	
Piperonyl Butoxide	ND	0.1	0.922	1.00	92.2	50 - 150	
Prallethrin	ND	0.1	0.817	1.00	81.7	50 - 150	
Propiconazole	ND	0.1	0.782	1.00	78.2	50 - 150	
Propoxur	ND	0.1	0.767	1.00	76.7	50 - 150	
Pyrethrins	ND	0.5	0.530	1.00	53.0	50 - 150	
Pyridaben	ND	0.1	0.782	1.00	78.2	50 - 150	
Spinosad	ND	0.1	1.02	1.00	102	50 - 150	
Spiromesifen	ND	0.1	0.727	1.00	72.7	50 - 150	
Spirotetramat	ND	0.1	0.820	1.00	82.0	50 - 150	
Spiroxamine	ND	0.1	0.876	1.00	87.6	50 - 150	
Tebuconazole	ND	0.1	0.767	1.00	76.7	50 - 150	
Thiacloprid	ND	0.1	0.766	1.00	76.6	50 - 150	
Thiamethoxam	ND	0.1	0.752	1.00	75.2	50 - 150	
Trifloxystrobin	ND	0.1	0.750	1.00	75.0	50 - 150	



Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Sample Type: Extracts Sample Date: 4/27/2020 Analysis Date: 4/30/2020 Report Date: 5/4/2020

Metrc Batch ID: 1A4010300016315000024436 Metrc Sample ID:

Report ID: LS-200504-2 Sample Plan ID: SP-200427-5-B1A4010300016315000024438 Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008

**Residual Solvents** Sample Data

Solvents Analysis Date: 5/1/2020 Solvents Batch ID: RES 050120A

Method: EPA 5021A Unit: µg/g (ppm)

Harvest/Process Date: 4/26/2020

Pass 🕢

Analyte	SHT-BRJ-PHX	MSC-DBJ-TXF	RPD (%)	Limits	LOQ	Notes	Status
1,4-Dioxane	ND	ND	0.00	380.0	50.0		Pass
2-Butanol	ND	ND	0.00	5000.0	250.0		Pass
2-Ethoxyethanol	ND	ND	0.00	160.0	50.0		Pass
Acetone	ND	ND	0.00	5000.0	250.0		Pass
Acetonitrile	ND	ND	0.00	410.0	50.0		Pass
Benzene	ND	ND	0.00	2.0	2.0		Pass
Butanes	ND	ND	0.00	5000.0	250.0		Pass
Cumene	ND	ND	0.00	70.0	50.0		Pass
Cyclohexane	ND	ND	0.00	3880.0	50.0		Pass
Ethyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Ethyl Ether	ND	ND	0.00	5000.0	250.0		Pass
Ethylene Glycol	ND	ND	0.00	620.0	250.0		Pass
Ethylene Oxide	ND	ND	0.00	50.0	50.0		Pass
Heptane	ND	ND	0.00	5000.0	250.0		Pass
Hexanes	ND	ND	0.00	290.0	50.0		Pass
Isopropanol (2-Propanol)	ND	ND	0.00	5000.0	50.0		Pass
Isopropyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Methanol	ND	ND	0.00	3000.0	250.0		Pass
Dichloromethane	ND	ND	0.00	600.0	50.0		Pass
Pentanes	ND	ND	0.00	5000.0	250.0		Pass
Propane	ND	ND	0.00	5000.0	250.0		Pass
Tetrahydrofuran	ND	ND	0.00	720.0	50.0		Pass
Toluene	ND	ND	0.00	890.0	50.0		Pass
Xylenes	ND	ND	0.00	2170.0	50.0		Pass



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 4/27/2020 Analysis Date: 4/30/2020 Report Date: 5/4/2020 Metrc Batch ID: 1A4010300016315000024436 Metrc Sample ID: 1A4010300016315000024438 Harvest/Process Date: 4/26/2020 Report ID: LS-200504-2 Sample Plan ID:SP-200427-5-B Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008

Residual Solvents
Quality Control Data

Solvents QC Analysis Date: 5/1/2020 Solvents QC Batch ID: RES 050120A Method: EPA 5021A Unit: μg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
1,4-Dioxane	ND	50.0	888	1000	88.8	70 - 130	
2-Butanol	ND	250.0	928	1000	92.8	70 - 130	
2-Ethoxyethanol	ND	50.0	834	1000	83.4	70 - 130	
Acetone	ND	250.0	849	1000	84.9	70 - 130	
Acetonitrile	ND	50.0	939	1000	93.9	70 - 130	
Benzene	ND	2.0	16.5	20.0	82.4	70 - 130	
Butanes	ND	250.0	1690	2000	84.6	70 - 130	
Cumene	ND	50.0	884	1000	88.4	70 - 130	
Cyclohexane	ND	50.0	842	1000	84.2	70 - 130	
Ethyl Acetate	ND	250.0	894	1000	89.4	70 - 130	
Ethyl Ether	ND	250.0	808	1000	80.8	70 - 130	
Ethylene Glycol	ND	250.0	836	1000	83.6	70 - 130	
Ethylene Oxide	ND	50.0	866	1000	86.6	70 - 130	
Heptane	ND	250.0	871	1000	87.1	70 - 130	
Hexanes	ND	50.0	4250	5000	84.9	70 - 130	
Isopropanol (2-Propanol)	ND	50.0	934	1000	93.4	70 - 130	
Isopropyl Acetate	ND	250.0	926	1000	92.6	70 - 130	
Methanol	ND	250.0	798	1000	79.8	70 - 130	
Dichloromethane	ND	50.0	880	1000	88.0	70 - 130	
Pentanes	ND	250.0	2530	3000	84.3	70 - 130	
Propane	ND	250.0	786	1000	78.6	70 - 130	
Tetrahydrofuran	ND	50.0	915	1000	91.5	70 - 130	
Toluene	ND	50.0	874	1000	87.4	70 - 130	
Xylenes	ND	50.0	3590	4000	89.7	70 - 130	



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 4/27/2020 Analysis Date: 4/30/2020 Report Date: 5/4/2020 Metrc Batch ID: 1A4010300016315000024436 Metrc Sample ID: 1A4010300016315000024438 Harvest/Process Date: 4/26/2020 Report ID: LS-200504-2 Sample Plan ID:SP-200427-5-B Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008

### **Qualifier Flag Descriptions**

J	Reported result is an estimate - the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
U	The analyte was not detected in the sample at the estimated detection limit (EDL)
E	Exceeds calibration range
D	Dilution data - result was obtained from the analysis of a dilution
В	Analyte found in sample and associated blank
С	Co-eluting compound
R	Relative Percent Difference (RPD) outside control limits
NR	Analyte not reported because of problems in sample preparation or analysis
ND	Non-Detect
x	Results from reinjection/repeat/re-column data
EMC	Estimated maximum possible concentration - indicates that a peak is detected but did not meet the method required criteria
М	Manual integration
PS	Peaks split
НВ	Control acceptance criteria are exceeded high and the associated sample exceeds the detection limit
LB	Control acceptance criteria are exceeded low and the associated sample is below the regulatory limit
ME	Marginal Exceedance
LR	Low Recovery Analyte
LOQ	Limit of Quantitation