

info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

448 - Gift Pack RCO 6.21.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 6/22/2020 Analysis Date: 6/23/2020 Report Date: 6/24/2020 Metrc Batch ID: 1A4010300016315000025737 Metrc Sample ID: 1A4010300016315000025739 Harvest/Process Date: 6/21/2020 Report ID: LS-200624-11 Sample Plan ID:SP-200622-5-A Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Potency

Potency Analysis Date: 6/23/2020 Potency Batch ID: CAN_062320A Potency Method: JAOAC 2015.1





Analyte	Description	LOQ	RPD	Min.	Max.	Avg.	U
Δ9THC	Delta-9 Tetrahydrocannabinol	0.16	1.23	72.8	73.8	73.3	-
THCA	Tetrahydrocannabinolic acid	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBD	Cannabidiol	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBDA	Cannabidiolic acid	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
Δ8THC	Delta-8 Tetrahydrocannabinol*	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
THCV	Tetrahydrocannabivarin*	0.16	25.4	0.554	0.715	0.635	•
CBG	Cannabigerol*	0.16	9.98	2.69	2.98	2.84	-
CBGA	Cannabigerolic acid*	0.16	14.9	ND	0.186	0.0929	•
CBC	Cannabichromene*	0.16	5.52	1.93	2.04	1.99	•
CBCA	Cannabichromenic acid*	0.16	0.00	ND	ND	ND	
CBN	Cannabinol	0.16	49.9	<l0q< td=""><td>0.266</td><td>0.266</td><td>•</td></l0q<>	0.266	0.266	•
Total THC	Δ9THC + (THCA × 0.877)		1.23	72.8	73.8	73.3	
Total CBD	CBD + (CBDA × 0.877)		0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
Total			1.27	78.0	79.9	79.1	

Compliance

Pesticides	Within limits	Analysis Date: 6/23/2020	Pass ⊘
Solvents	Within limits	Analysis Date: 6/23/2020	Pass ⊘
Potency	Within limits	Analysis Date: 6/23/2020	Pass ⊘

Grupe Attac Bryce Kidd, Ph.D. Lab Director

Aaron Troyer

Chief Science Officer

Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-067. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

448 - Gift Pack RCO 6.21.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653



Terpenes* Sample Data

Sample Type: Extracts Sample Date: 6/22/2020 Analysis Date: 6/23/2020 Report Date: 6/24/2020

Metrc Batch ID:

1A4010300016315000025737 Metrc Sample ID: 1A4010300016315000025739

Terpene Analysis Date: 6/23/2020 Terpene Batch ID: TRP_062320A Sample Plan ID:SP-200622-5-A Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Harvest/Process Date: 6/21/2020

Method: JAOAC 2015.1 Unit: %

Report ID: LS-200624-11

Analyte	Avg.	Notes
β-Caryophyllene	2.75%	
β-Myrcene	0.270%	
Limonene	0.268%	
Terpinolene	0.192%	
Linalool	0.155%	
a-Bisabolol	0.141%	
a-Terpineol	0.111%	
Fenchol	0.0971%	
β-Ocimene	0.0907%	
Selinadiene	0.0813%	
Guaiol	0.0806%	
Caryophyllene Oxide	0.0477%	
β-Pinene	0.0418%	
a-Pinene	0.0277%	
Eucalyptol	0.0180%	
a-Terpinene	0.0112%	
Fenchone	0.00913%	
Borneol	0.00869%	
γ-Terpinene	0.00864%	
∆3-Carene	0.00688%	
Camphene	0.00412%	
Humulene	0.00131%	
Nerol	0.000894%	
Azulene	ND	
Camphore	ND	
Cedrol	ND	
Cymene	ND	
Geraniol	ND	
Geranyl Acetate	ND	

Analyte	Avg.	Notes
Isoborneol	ND	
Isopulegol	ND	
Pulegone	ND	
Sabinene	ND	
Sabinene Hydrate	ND	
Valencene	ND	
cis-Nerolidol	ND	
trans-Nerolidol	ND	
α-Cedrene	ND	
a-Ocimene	ND	
α-Phellandrene	ND	
β-Farnesene 1	ND	
β-Farnesene 2	ND	
γ-Terpineol	ND	
Total	4.42%	



Sample Type: Extracts

Sample Date: 6/22/2020

Analysis Date: 6/23/2020

Report Date: 6/24/2020

info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

448 - Gift Pack RCO 6.21.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

Π

Pesticides

Sample Data

Analyte	WXS-DXR-MDM	TNF-ZSG-MTT	Limits	LOQ	Notes	Status
Abamectin	ND	ND	0.5	0.1		Pass
Acephate	ND	ND	0.4	0.1		Pass
Acequinocyl	ND	ND	2.0	1.5		Pass
Acetamiprid	ND	ND	0.2	0.1		Pass
Aldicarb	ND	ND	0.4	0.1		Pass
Azoxystrobin	ND	ND	0.2	0.1		Pass
Bifenazate	ND	ND	0.2	0.1		Pass
Bifenthrin	ND	ND	0.2	0.1		Pass
Boscalid	ND	ND	0.4	0.1		Pass
Carbaryl	ND	ND	0.2	0.1		Pass
Carbofuran	ND	ND	0.2	0.1		Pass
Chlorantraniliprole	ND	ND	0.2	0.1		Pass
Chlorfenapyr	ND	ND	1.0	0.1		Pass
Chlorpyrifos	ND	ND	0.2	0.1		Pass
Clofentezine	ND	ND	0.2	0.1		Pass
Cyfluthrin	ND	ND	1.0	0.5		Pass
Cypermethrin	ND	ND	1.0	0.1		Pass
Daminozide	ND	ND	1.0	0.5		Pass
Diazinon	ND	ND	0.2	0.1		Pass
Dichlorvos (DDVP)	ND	ND	1.0	0.5		Pass
Dimethoate	ND	ND	0.2	0.1		Pass
Ethoprophos	ND	ND	0.2	0.1		Pass
Etofenprox	ND	ND	0.4	0.1		Pass
Etoxazole	ND	ND	0.2	0.1		Pass
Fenoxycarb	ND	ND	0.2	0.1		Pass
Fenpyroximate	ND	ND	0.4	0.1		Pass
Fipronil	ND	ND	0.4	0.1		Pass
Flonicamid	ND	ND	1.0	0.1		Pass
Fludioxonil	ND	ND	0.4	0.1		Pass
Hexythiazox	ND	ND	1.0	0.1		Pass
Imazalil	ND	ND	0.2	0.1		Pass
Imidacloprid	ND	ND	0.4	0.1		Pass
Kresoxim-methyl	ND	ND	0.4	0.1		Pass
Malathion	ND	ND	0.2	0.1		Pass

N	le	t	r	С	В	а	to	ch	I):		

1A4010300016315000025737 Metrc Sample ID: 1A4010300016315000025739 Harvest/Process Date: 6/21/2020 Report ID: LS-200624-11 Sample Plan ID:SP-200622-5-A Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Pesticides Analysis Date: 6/23/2020 Pesticides Batch ID: PST_062320A Method: EN 15662 Unit: µg/g (ppm) Pass ⊘

Analyte	WXS-DXR-MDM	TNF-ZSG-MTT	Limits	LOQ	Notes	Status
Metalaxyl	ND	ND	0.2	0.1		Pass
Methiocarb	ND	ND	0.2	0.1		Pass
Methomyl	ND	ND	0.4	0.1		Pass
Methyl Parathion	ND	ND	0.2	0.2		Pass
MGK-264	ND	ND	0.2	0.2		Pass
Myclobutanil	ND	ND	0.2	0.1		Pass
Naled	ND	ND	0.5	0.2		Pass
Oxamyl	ND	ND	1.0	0.1		Pass
Paclobutrazol	ND	ND	0.4	0.1		Pass
Permethrins	ND	ND	0.2	0.1		Pass
Phosmet	ND	ND	0.2	0.1		Pass
Piperonyl Butoxide	ND	ND	2.0	0.1		Pass
Prallethrin	ND	ND	0.2	0.1		Pass
Propiconazole	ND	ND	0.4	0.1		Pass
Propoxur	ND	ND	0.2	0.1		Pass
Pyrethrins	ND	ND	1.0	0.5		Pass
Pyridaben	ND	ND	0.2	0.1		Pass
Spinosad	ND	ND	0.2	0.1		Pass
Spiromesifen	ND	ND	0.2	0.1		Pass
Spirotetramat	ND	ND	0.2	0.1		Pass
Spiroxamine	ND	ND	0.4	0.1		Pass
Tebuconazole	ND	ND	0.4	0.1		Pass
Thiacloprid	ND	ND	0.2	0.1		Pass
Thiamethoxam	ND	ND	0.2	0.1		Pass
Trifloxystrobin	ND	ND	0.2	0.1		Pass



info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

448 - Gift Pack RCO 6.21.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

IJ

Sample Type: Extracts Sample Date: 6/22/2020 Analysis Date: 6/23/2020 Report Date: 6/24/2020 Metrc Batch ID:

1A4010300016315000025737 Metrc Sample ID: 1A4010300016315000025739 Harvest/Process Date: 6/21/2020 Report ID: LS-200624-11 Sample Plan ID:SP-200622-5-A Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Pesticides QC Analysis Date: 6/23/2020 Pesticides QC Batch ID: PST_062320A Method: EN 15662 Unit: µg/g (ppm)

Pesticides Quality Control Data

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Abamectin	ND	0.1	0.924	1.00	92.4	50 - 150	
Acephate	ND	0.1	0.694	1.00	69.4	50 - 150	
Acequinocyl	ND	1.5	1.39	1.00	139	50 - 150	
Acetamiprid	ND	0.1	1.16	1.00	116	50 - 150	
Aldicarb	ND	0.1	1.13	1.00	113	50 - 150	
Azoxystrobin	ND	0.1	1.20	1.00	120	50 - 150	
Bifenazate	ND	0.1	1.42	1.00	142	50 - 150	
Bifenthrin	ND	0.1	1.54	1.00	154	50 - 150	ME
Boscalid	ND	0.1	1.04	1.00	104	50 - 150	
Carbaryl	ND	0.1	1.12	1.00	112	50 - 150	
Carbofuran	ND	0.1	1.16	1.00	116	50 - 150	
Chlorantraniliprole	ND	0.1	1.19	1.00	119	50 - 150	
Chlorfenapyr	ND	0.1	1.38	1.00	138	50 - 150	
Chlorpyrifos	ND	0.1	0.974	1.00	97.4	50 - 150	
Clofentezine	ND	0.1	0.819	1.00	81.9	50 - 150	
Cyfluthrin	ND	0.5	0.877	1.00	87.7	50 - 150	
Cypermethrin	ND	0.1	1.18	1.00	118	50 - 150	
Daminozide	ND	0.5	0.250	1.00	25.0	10 - 150	
Diazinon	ND	0.1	1.13	1.00	113	50 - 150	
Dichlorvos (DDVP)	ND	0.5	0.939	1.00	93.9	50 - 150	
Dimethoate	ND	0.1	1.12	1.00	112	50 - 150	
Ethoprophos	ND	0.1	1.13	1.00	113	50 - 150	
Etofenprox	ND	0.1	1.08	1.00	108	50 - 150	
Etoxazole	ND	0.1	1.35	1.00	135	50 - 150	
Fenoxycarb	ND	0.1	1.18	1.00	118	50 - 150	
Fenpyroximate	ND	0.1	1.38	1.00	138	50 - 150	
Fipronil	ND	0.1	1.16	1.00	116	50 - 150	
Flonicamid	ND	0.1	1.03	1.00	103	50 - 150	
Fludioxonil	ND	0.1	1.06	1.00	106	50 - 150	
Hexythiazox	ND	0.1	1.26	1.00	126	50 - 150	
Imazalil	ND	0.1	1.10	1.00	110	50 - 150	
Imidacloprid	ND	0.1	1.22	1.00	122	50 - 150	
Kresoxim-methyl	ND	0.1	1.12	1.00	112	50 - 150	
Malathion	ND	0.1	1.06	1.00	106	50 - 150	

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Metalaxyl	ND	0.1	1.06	1.00	106	50 - 150	
Methiocarb	ND	0.1	1.16	1.00	116	50 - 150	
Methomyl	ND	0.1	0.990	1.00	99.0	50 - 150	
Methyl Parathion	ND	0.2	0.549	1.00	54.9	30 - 150	
MGK-264	ND	0.2	0.764	0.600	127	50 - 150	
Myclobutanil	ND	0.1	1.14	1.00	114	50 - 150	
Naled	ND	0.2	1.19	1.00	119	50 - 150	
Oxamyl	ND	0.1	1.04	1.00	104	50 - 150	
Paclobutrazol	ND	0.1	1.04	1.00	104	50 - 150	
Permethrins	ND	0.1	1.52	1.00	152	50 - 150	ME
Phosmet	ND	0.1	1.08	1.00	108	50 - 150	
Piperonyl Butoxide	ND	0.1	1.11	1.00	111	50 - 150	
Prallethrin	ND	0.1	1.03	1.00	103	50 - 150	
Propiconazole	ND	0.1	1.04	1.00	104	50 - 150	
Propoxur	ND	0.1	1.12	1.00	112	50 - 150	
Pyrethrins	ND	0.5	0.314	1.00	31.4	50 - 150	LR
Pyridaben	ND	0.1	1.09	1.00	109	50 - 150	
Spinosad	ND	0.1	1.04	1.00	104	50 - 150	
Spiromesifen	ND	0.1	1.02	1.00	102	50 - 150	
Spirotetramat	ND	0.1	1.17	1.00	117	50 - 150	
Spiroxamine	ND	0.1	1.10	1.00	110	50 - 150	
Tebuconazole	ND	0.1	1.13	1.00	113	50 - 150	
Thiacloprid	ND	0.1	1.09	1.00	109	50 - 150	
Thiamethoxam	ND	0.1	1.13	1.00	113	50 - 150	
Trifloxystrobin	ND	0.1	1.15	1.00	115	50 - 150	

Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-067. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.



info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

448 - Gift Pack RCO 6.21.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

Analyte

Sample Type: Extracts Sample Date: 6/22/2020 Analysis Date: 6/23/2020 Report Date: 6/24/2020

Metrc Batch ID:

1A4010300016315000025737 Metrc Sample ID: 1A4010300016315000025739 Harvest/Process Date: 6/21/2020 Report ID: LS-200624-11 Sample Plan ID:SP-200622-5-A Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

 Residual Solvents
 Solvents Analysis Date: 6/23/2020
 Method: EPA 5021A
 Pass or Solvents

 Sample Data
 WXS-DXR-MDM
 TNF-ZSG-MTT
 RPD (%)
 Limits
 LOQ
 Notes
 Status

1,4-Dioxane	ND	ND	0.00	380.0	50.0	Pass	;
2-Butanol	ND	ND	0.00	5000.0	250.0	Pass	\$
2-Ethoxyethanol	ND	ND	0.00	160.0	50.0	Pass	\$
Acetone	ND	ND	0.00	5000.0	250.0	Pass	;
Acetonitrile	ND	ND	0.00	410.0	50.0	Pass	;
Benzene	ND	ND	0.00	2.0	2.0	Pass	\$
Butanes	ND	ND	0.00	5000.0	250.0	Pass	\$
Cumene	ND	ND	0.00	70.0	50.0	Pass	\$
Cyclohexane	ND	ND	0.00	3880.0	50.0	Pass	;
Ethyl Acetate	ND	ND	0.00	5000.0	250.0	Pass	;
Ethyl Ether	ND	ND	0.00	5000.0	250.0	Pass	;
Ethylene Glycol	ND	ND	0.00	620.0	250.0	Pass	;
Ethylene Oxide	ND	ND	0.00	50.0	50.0	Pass	;
Heptane	ND	ND	0.00	5000.0	250.0	Pass	;
Hexanes	ND	ND	0.00	290.0	50.0	Pass	;
Isopropanol (2-Propanol)	ND	ND	0.00	5000.0	50.0	Pass	;
Isopropyl Acetate	ND	ND	0.00	5000.0	250.0	Pass	;
Methanol	ND	ND	0.00	3000.0	250.0	Pass	;
Dichloromethane	ND	ND	0.00	600.0	50.0	Pass	;
Pentanes	ND	ND	0.00	5000.0	250.0	Pass	;
Propane	ND	ND	0.00	5000.0	250.0	Pass	;
Tetrahydrofuran	ND	ND	0.00	720.0	50.0	Pass	;
Toluene	ND	ND	0.00	890.0	50.0	Pass	;
Xylenes	ND	ND	0.00	2170.0	50.0	Pass	;



info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

448 - Gift Pack RCO 6.21.20

Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Residual Solvents

Sample Type: Extracts Sample Date: 6/22/2020 Analysis Date: 6/23/2020 Report Date: 6/24/2020

Metrc Batch ID:

1A4010300016315000025737 Metrc Sample ID: 1A4010300016315000025739

Solvents QC Analysis Date: 6/23/2020

Harvest/Process Date: 6/21/2020 Report ID: LS-200624-11 Sample Plan ID:SP-200622-5-A Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

0 Solvents QC Batch ID: RES 062320A **Quality Control Data**

Method: EPA 5021A Unit: µg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
1,4-Dioxane	ND	50.0	1100	1000	110	70 - 130	
2-Butanol	ND	250.0	1140	1000	114	70 - 130	
2-Ethoxyethanol	ND	50.0	1040	1000	104	70 - 130	
Acetone	ND	250.0	1030	1000	103	70 - 130	
Acetonitrile	ND	50.0	1150	1000	115	70 - 130	
Benzene	ND	2.0	16.6	20.0	82.8	70 - 130	
Butanes	ND	250.0	2120	2000	106	70 - 130	
Cumene	ND	50.0	1110	1000	111	70 - 130	
Cyclohexane	ND	50.0	1040	1000	104	70 - 130	
Ethyl Acetate	ND	250.0	1090	1000	109	70 - 130	
Ethyl Ether	ND	250.0	1030	1000	103	70 - 130	
Ethylene Glycol	ND	250.0	1060	1000	106	70 - 130	
Ethylene Oxide	ND	50.0	1080	1000	108	70 - 130	
Heptane	ND	250.0	1080	1000	108	70 - 130	
Hexanes	ND	50.0	5260	5000	105	70 - 130	
Isopropanol (2-Propanol)	ND	50.0	935	1000	93.5	70 - 130	
Isopropyl Acetate	ND	250.0	1130	1000	113	70 - 130	
Methanol	ND	250.0	1140	1000	114	70 - 130	
Dichloromethane	ND	50.0	1080	1000	108	70 - 130	
Pentanes	ND	250.0	3200	3000	107	70 - 130	
Propane	ND	250.0	972	1000	97.2	70 - 130	
Tetrahydrofuran	ND	50.0	1120	1000	112	70 - 130	
Toluene	ND	50.0	1100	1000	110	70 - 130	
Xylenes	ND	50.0	4480	4000	112	70 - 130	



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

448 - Gift Pack RCO 6.21.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 6/22/2020 Analysis Date: 6/23/2020 Report Date: 6/24/2020 Metrc Batch ID: 1A4010300016315000025737 Metrc Sample ID: 1A4010300016315000025739 Harvest/Process Date: 6/21/2020 Report ID: LS-200624-11 Sample Plan ID:SP-200622-5-A Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Qualifier Flag Descriptions

- J Reported result is an estimate the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
- U The analyte was not detected in the sample at the estimated detection limit (EDL)
- E Exceeds calibration range
- D Dilution data result was obtained from the analysis of a dilution
- B Analyte found in sample and associated blank
- C Co-eluting compound
- R Relative Percent Difference (RPD) outside control limits
- NR Analyte not reported because of problems in sample preparation or analysis
- ND Non-Detect
- X Results from reinjection/repeat/re-column data
- EMC Estimated maximum possible concentration indicates that a peak is detected but did not meet the method required criteria
- M Manual integration
- PS Peaks split
- HB Control acceptance criteria are exceeded high and the associated sample is below the detection limit
- LB Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
- ME Marginal Exceedance
- LR Low Recovery Analyte
- LOQ Limit of Quantitation