

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts
Sample Date: 8/26/2020
Analysis Date: 8/29/2020
Report Date: 9/1/2020

Metrc Batch ID: 1A4010300016315000026160 Metrc Sample ID: 1A4010300016315000026243 Harvest/Process Date: 8/22/2020 Report ID: LS-200901-18 Sample Plan ID:SP-200826-2-A Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008

#### **Potency**

Potency Analysis Date: 8/31/2020 Potency Batch ID: CAN\_083120D Potency Method: JAOAC 2015.1


**78.2%** 

Total THC

0.295%

Total CBD

Samples: FFZ-FFC-XWG, JFX-WNT-RPR



Analyte	Description	LOQ	RPD	Min.	Max.	Avg.	
<b>Д9ТНС</b>	Delta-9 Tetrahydrocannabinol	0.16	3.21	77.0	79.5	78.2	
THCA	Tetrahydrocannabinolic acid	0.16	0.00	ND	ND	ND	
CBD	Cannabidiol	0.16	0.543	0.294	0.295	0.295	•
CBDA	Cannabidiolic acid	0.16	0.00	ND	ND	ND	
Δ8ΤΗC	Delta-8 Tetrahydrocannabinol*	0.16	0.00	ND	ND	ND	
THCV	Tetrahydrocannabivarin*	0.16	115	ND	0.590	0.295	•
CBG	Cannabigerol*	0.16	9.58	1.94	2.14	2.04	•
CBGA	Cannabigerolic acid*	0.16	52.7	ND	0.275	0.137	•
CBC	Cannabichromene*	0.16	12.1	0.620	0.699	0.660	•
CBCA	Cannabichromenic acid*	0.16	0.00	ND	ND	ND	
CBN	Cannabinol	0.16	2.13	0.626	0.640	0.633	•
Total THC	Δ9THC + (THCA × 0.877)		3.21	77.0	79.5	78.2	
Total CBD	CBD + (CBDA × 0.877)		0.543	0.294	0.295	0.295	•
Total			4.45	80.4	84.1	82.3	

### **Compliance**

Pesticides	Within limits	Analysis Date: 8/31/2020	Pass 🛇
Solvents	Within limits	Analysis Date: 8/29/2020	Pass 🕢
Potency	Within limits	Analysis Date: 8/31/2020	Pass 🕢

Bryce Kidd, Ph.D.
Lab Director

Aaron Troyer // Chief Science Officer



Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-067. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (\*) are not within scope of accreditation and for informational purposes only.



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 8/26/2020 Analysis Date: 8/29/2020 Report Date: 9/1/2020 Metrc Batch ID: 1A4010300016315000026160 Metrc Sample ID: 1A4010300016315000026243

Terpene Analysis Date: 8/31/2020

Terpene Batch ID: TRP 083120A

Total

Harvest/Process Date: 8/22/2020 Report ID: LS-200901-18 Sample Plan ID:SP-200826-2-A Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008

Method: JAOAC 2015.1

Unit: %



Eucalyptol

Geranyl Acetate

Geraniol

Guaiol

Analyte	Avg.	Notes
β-Caryophyllene	2.47%	
Humulene	0.958%	_
Linalool	0.196%	•
Selinadiene	0.119%	•
Limonene	0.0960%	•
α-Terpineol	0.0945%	•
Fenchol	0.0705%	•
α-Bisabolol	0.0697%	•
β-Myrcene	0.0497%	•
β-Pinene	0.0219%	•
α-Pinene	0.0203%	•
Borneol	0.00962%	•
Fenchone	0.00691%	•
β-Ocimene	0.00686%	•
Terpinolene	0.00554%	•
Camphene	0.00323%	•
Nerol	0.00168%	•
α-Terpinene	0.00167%	•
γ-Terpinene	0.00164%	•
Δ3-Carene	0.00113%	•
Azulene	ND	
Camphore	ND	
Caryophyllene Oxide	ND	
Cedrol	ND	
Cymene	ND	

ND

ND

ND

ND

Analyte	Avg.	Notes
Isoborneol	ND	
Isopulegol	ND	
Pulegone	ND	
Sabinene	ND	
Sabinene Hydrate	ND	
Valencene	ND	
cis-Nerolidol	ND	
trans-Nerolidol	ND	
α-Cedrene	ND	
α-Ocimene	ND	
α-Phellandrene	ND	
β-Farnesene 1	ND	
β-Farnesene 2	ND	
γ-Terpineol	ND	

4.20%



Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Sample Type: Extracts Sample Date: 8/26/2020 Analysis Date: 8/29/2020 Report Date: 9/1/2020

Metrc Batch ID: 1A4010300016315000026160 Metrc Sample ID: 1A4010300016315000026243 Harvest/Process Date: 8/22/2020 Report ID: LS-200901-18 Sample Plan ID:SP-200826-2-A Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008



Pesticides Analysis Date: 8/31/2020 Pesticides Batch ID: PST 083120A

Method: EN 15662 Unit: µg/g (ppm)

Pass 🕢

Abamectin         ND         ND         0.5         0.1         Pass           Acephate         ND         ND         0.4         0.1         Pass           Acequinocyl         ND         ND         0.4         0.1         Pass           Acetamiprid         ND         ND         ND         0.2         0.1         Pass           Aldicarb         ND         ND         ND         0.2         0.1         Pass           Bifentara         ND         ND         ND         0.2         0.1         Pass           Bifenthrin         ND         ND         ND         0.2         0.1         Pass           Carbaryl         ND         ND         ND         0.2         0.1         Pass           Chlorfenapyr         ND	Analyte	FFZ-FFC-XWG	JFX-WNT-RPR	Limits	LOQ	Notes	Status
Acequinocyl         ND         ND         2.0         1.5         Pass           Acetamiprid         ND         ND         0.2         0.1         Pass           Aldicarb         ND         ND         0.2         0.1         Pass           Aldicarb         ND         ND         0.2         0.1         Pass           Acoxystrobin         ND         ND         0.2         0.1         Pass           Bifenazate         ND         ND         0.2         0.1         Pass           Bifenthrin         ND         ND         0.2         0.1         Pass           Bifenthrin         ND         ND         0.2         0.1         Pass           Bifenthrin         ND         ND         0.2         0.1         Pass           Boscalid         ND         ND         0.2         0.1         Pass           Carbaryl         ND         ND         0.2         0.1         Pass           Carbofura         ND         ND         0.2         0.1         Pass           Chloratraniliprole         ND         ND         0.2         0.1         Pass           Chlorentraniliprole         ND	Abamectin	ND	ND	0.5	0.1		Pass
Acetamiprid ND ND 0.2 0.1 Pass Aldicarb ND ND 0.2 0.1 Pass Bifenazate ND ND ND 0.2 0.1 Pass Bifenazate ND ND ND 0.2 0.1 Pass Bifenazate ND ND ND 0.2 0.1 Pass Boscalid ND ND ND 0.2 0.1 Pass Carbaryl ND ND ND 0.2 0.1 Pass Carboruran ND ND ND 0.2 0.1 Pass Chlorantraniliprole ND ND ND 0.2 0.1 Pass Chlorantraniliprole ND ND ND 0.2 0.1 Pass Chlorantraniliprole ND ND ND 0.2 0.1 Pass Chloryrifos ND ND ND 0.2 0.1 Pass Chloryrifos ND ND ND 0.2 0.1 Pass Chlorentezine ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 1.0 0.5 Pass Cypermethrin ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 0.2 0.1 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etorazole ND ND ND 0.4 0.1 Pass Etorazoli ND ND 0.4 0.1 Pass Etorazoli ND ND ND 0.4 0.1 Pass Etorazoli ND ND N	Acephate	ND	ND	0.4	0.1		Pass
Aldicarb  Aldicarb  Aldicarb  ND  ND  ND  0.4 0.1 Pass  Bifenazate  ND  ND  ND  0.2 0.1 Pass  Bifenthrin  ND  ND  ND  0.2 0.1 Pass  Bifenthrin  ND  ND  ND  0.2 0.1 Pass  Boscalid  ND  ND  ND  0.2 0.1 Pass  Boscalid  ND  ND  ND  0.2 0.1 Pass  Carbaryl  ND  ND  ND  0.2 0.1 Pass  Carbaryl  ND  ND  ND  0.2 0.1 Pass  Chlorantraniliprole  ND  ND  ND  0.2 0.1 Pass  Chlorantraniliprole  ND  ND  ND  0.2 0.1 Pass  Chlorpyrifos  ND  ND  ND  0.2 0.1 Pass  Chlorpyrifos  ND  ND  ND  0.2 0.1 Pass  Cyfluthrin  ND  ND  ND  0.2 0.1 Pass  Cyfluthrin  ND  ND  ND  1.0 0.5 Pass  Cypermethrin  ND  ND  ND  1.0 0.5 Pass  Diazinon  ND  ND  ND  1.0 0.5 Pass  Diazinon  ND  ND  ND  1.0 0.5 Pass  Diazinon  ND  ND  ND  0.2 0.1 Pass  Ethoprophos  Ethoprophos  ND  ND  ND  0.2 0.1 Pass  Ettofenprox  ND  ND  ND  0.2 0.1 Pass  Ettoxazole  ND  ND  ND  0.2 0.1 Pass  Ettoxazole  ND  ND  ND  0.2 0.1 Pass  Fenoxycarb  ND  ND  ND  0.2 0.1 Pass  Fenoxycarb  ND  ND  ND  0.4	Acequinocyl	ND	ND	2.0	1.5		Pass
Azoxystrobin         ND         ND         0.2         0.1         Pass           Bifenazate         ND         ND         0.2         0.1         Pass           Bifenthrin         ND         ND         0.2         0.1         Pass           Boscalid         ND         ND         0.4         0.1         Pass           Carbaryl         ND         ND         ND         0.2         0.1         Pass           Carbofuran         ND         ND         ND         0.2         0.1         Pass           Chlorantraniliprole         ND         ND         ND         0.2         0.1         Pass           Chlorfenapyr         ND         ND         ND         0.2         0.1         Pass           Chlorpyrifos         ND         ND         ND         0.2         0.1         Pass           Cyfluthrin         ND <td>Acetamiprid</td> <td>ND</td> <td>ND</td> <td>0.2</td> <td>0.1</td> <td></td> <td>Pass</td>	Acetamiprid	ND	ND	0.2	0.1		Pass
Bifenazate ND ND 0.2 0.1 Pass Bifenthrin ND ND 0.2 0.1 Pass Boscalid ND ND 0.2 0.1 Pass Boscalid ND ND ND 0.4 0.1 Pass Carbaryl ND ND ND 0.2 0.1 Pass Carbofuran ND ND ND 0.2 0.1 Pass Chlorantraniliprole ND ND ND 0.2 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 1.0 0.5 Pass Cyfluthrin ND ND 1.0 0.5 Pass Cypermethrin ND ND 1.0 0.5 Pass Diazinon ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 0.2 0.1 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.2 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imazalil ND ND ND 0.4 0.1 Pass Imazalil ND ND ND 0.4 0.1 Pass Imidacloprid ND ND ND 0.4 0.1 Pass Imidacl	Aldicarb	ND	ND	0.4	0.1		Pass
Bifenthrin ND ND 0.2 0.1 Pass Boscalid ND ND 0.2 0.1 Pass Carboryl ND ND ND 0.2 0.1 Pass Carbofuran ND ND ND 0.2 0.1 Pass Chlorantraniliprole ND ND ND 0.2 0.1 Pass Chlorantraniliprole ND ND ND 0.2 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 1.0 0.5 Pass Cypermethrin ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Ethoprophos ND ND ND 1.0 0.5 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Imazalil ND ND ND 0.4 0.1 Pass Ima	Azoxystrobin	ND	ND	0.2	0.1		Pass
Boscalid ND ND 0.4 0.1 Pass Carbaryl ND ND 0.2 0.1 Pass Chlorantraniliprole ND ND ND 0.2 0.1 Pass Chlorantraniliprole ND ND ND 0.2 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 0.5 Pass Cypermethrin ND ND ND 1.0 0.5 Pass Cypermethrin ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Ethoprophos ND ND ND 1.0 0.5 Pass Ethoprophos ND ND ND 1.0 0.5 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.4 0.1 Pass Etoxazola ND ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Imidacloprid ND ND ND	Bifenazate	ND	ND	0.2	0.1		Pass
Carbaryl ND ND 0.2 0.1 Pass Carbofuran ND ND 0.2 0.1 Pass Chlorantraniliprole ND ND ND 0.2 0.1 Pass Chlorfenapyr ND ND ND 1.0 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Clofentezine ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 1.0 0.5 Pass Cypermethrin ND ND ND 1.0 0.5 Pass Cypermethrin ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Dimethoate ND ND ND 1.0 0.5 Pass Ethoprophos (DDVP) ND ND ND 1.0 0.5 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fipronil ND ND 0.2 0.1 Pass Fipronil ND ND 0.4 0.1 Pass Fipronil ND ND 0.4 0.1 Pass Fludioxonil ND ND 0.4 0.1 Pass Fludioxonil ND ND 0.4 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imazalil ND ND ND 0.4 0.1 Pass Imazalil ND ND ND 0.4 0.1 Pass Imazalil ND ND ND 0.4 0.1 Pass	Bifenthrin	ND	ND	0.2	0.1		Pass
Carbofuran ND ND 0.2 0.1 Pass Chlorantraniliprole ND ND 0.2 0.1 Pass Chlorfenapyr ND ND ND 1.0 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Clofentezine ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 1.0 0.5 Pass Cypermethrin ND ND 1.0 0.5 Pass Cypermethrin ND ND ND 1.0 0.5 Pass Daminozide ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Dichlorvos (DDVP) ND ND ND 1.0 0.5 Pass Dimethoate ND ND ND 1.0 0.5 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fipronil ND ND 0.2 0.1 Pass Fipronil ND ND 0.4 0.1 Pass Fipronil ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.2 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imazalil ND ND ND 0.4 0.1 Pass Imidacloprid ND ND ND 0.4 0.1 Pass	Boscalid	ND	ND	0.4	0.1		Pass
Chlorantraniliprole ND ND 0.2 0.1 Pass Chlorfenapyr ND ND ND 1.0 0.1 Pass Chlorpyrifos ND ND ND 0.2 0.1 Pass Clofentezine ND ND ND 0.2 0.1 Pass Cyfluthrin ND ND ND 1.0 0.5 Pass Cypermethrin ND ND 1.0 0.5 Pass Cypermethrin ND ND ND 1.0 0.5 Pass Daminozide ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 0.2 0.1 Pass Dichlorvos (DDVP) ND ND ND 1.0 0.5 Pass Dimethoate ND ND ND 0.2 0.1 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fipronil ND ND ND 0.2 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imazalil ND ND ND 0.4 0.1 Pass Imidacloprid ND ND ND 0.4 0.1 Pass	Carbaryl	ND	ND	0.2	0.1		Pass
Chlorfenapyr  ND  ND  ND  1.0 0.1 Pass Chlorpyrifos  ND  ND  ND  ND  0.2 0.1 Pass Clofentezine  ND  ND  ND  ND  0.2 0.1 Pass Cyfluthrin  ND  ND  ND  1.0 0.5 Pass Cypermethrin  ND  ND  ND  1.0 0.5 Pass Cypermethrin  ND  ND  ND  1.0 0.5 Pass Diazinon  ND  ND  ND  ND  1.0 0.5 Pass Diazinon  ND  ND  ND  ND  0.2 0.1 Pass Diazinon  ND  ND  ND  1.0 0.5 Pass Diazinon  ND  ND  ND  0.2 0.1 Pass Ethoprophos  ND  ND  ND  ND  0.2 0.1 Pass Ettofenprox  ND  ND  ND  0.2 0.1 Pass Etotazole  ND  ND  ND  0.2 0.1 Pass Etoxazole  ND  ND  ND  0.2 0.1 Pass Etoxazole  ND  ND  ND  0.2 0.1 Pass Fenoxycarb  ND  ND  ND  0.2 0.1 Pass Fenoxycarb  ND  ND  ND  0.4 0.1 Pass Fipronil  ND  ND  ND  0.4 0.1 Pass Fludioxonil  ND  ND  ND  ND  0.4 0.1 Pass Fludioxonil  ND  ND  ND  ND  0.4 0.1 Pass Imazalil  ND  ND  ND  ND  ND  0.4 0.1 Pass Imazalil  ND  ND  ND  ND  ND  ND  ND  ND  ND  N	Carbofuran	ND	ND	0.2	0.1		Pass
Chlorpyrifos ND ND 0.2 0.1 Pass Clofentezine ND ND 0.2 0.1 Pass Cyfluthrin ND ND 1.0 0.5 Pass Cypermethrin ND ND 1.0 0.5 Pass Diazinon ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Dichlorvos (DDVP) ND ND ND 1.0 0.5 Pass Dimethoate ND ND ND 0.2 0.1 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fipronil ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imazalil ND ND ND 0.4 0.1 Pass Imidacloprid ND ND ND 0.4 0.1 Pass	Chlorantraniliprole	ND	ND	0.2	0.1		Pass
Clofentezine ND ND 0.2 0.1 Pass Cyfluthrin ND ND 1.0 0.5 Pass Cypermethrin ND ND 1.0 0.5 Pass Daminozide ND ND ND 1.0 0.5 Pass Diazinon ND ND ND 1.0 0.5 Pass Dichlorvos (DDVP) ND ND ND 1.0 0.5 Pass Dimethoate ND ND ND 0.2 0.1 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imidacloprid ND ND ND 0.4 0.1 Pass	Chlorfenapyr	ND	ND	1.0	0.1		Pass
Cyfluthrin         ND         ND         1.0         0.5         Pass           Cypermethrin         ND         ND         1.0         0.1         Pass           Daminozide         ND         ND         1.0         0.5         Pass           Diazinon         ND         ND         0.2         0.1         Pass           Dichlorvos (DDVP)         ND         ND         1.0         0.5         Pass           Dimethoate         ND         ND         0.2         0.1         Pass           Ethoprophos         ND         ND         0.2         0.1         Pass           Etofenprox         ND         ND         0.4         0.1         Pass           Etoxazole         ND         ND         0.2         0.1         Pass           Fenoxycarb         ND         ND         0.2         0.1         Pass           Fenpyroximate         ND         ND         0.4         0.1         Pass           Flonicamid         ND         ND         0.4         0.1         Pass           Fludioxonil         ND         ND         0.4         0.1         Pass           Fludioxonil         ND	Chlorpyrifos	ND	ND	0.2	0.1		Pass
Cypermethrin         ND         ND         1.0         0.1         Pass           Daminozide         ND         ND         ND         1.0         0.5         Pass           Diazinon         ND         ND         ND         0.2         0.1         Pass           Dichlorvos (DDVP)         ND         ND         ND         0.2         0.1         Pass           Dimethoate         ND         ND         ND         0.2         0.1         Pass           Ethoprophos         ND         ND         0.2         0.1         Pass           Etofenprox         ND         ND         0.4         0.1         Pass           Etoxazole         ND         ND         0.2         0.1         Pass           Fenoxycarb         ND         ND         0.2         0.1         Pass           Fenpyroximate         ND         ND         0.4         0.1         Pass           Fipronil         ND         ND         0.4         0.1         Pass           Fludioxonil         ND         ND         0.4         0.1         Pass           Fludioxonil         ND         ND         0.4         0.1         Pass	Clofentezine	ND	ND	0.2	0.1		Pass
Daminozide         ND         ND         1.0         0.5         Pass           Diazinon         ND         ND         ND         0.2         0.1         Pass           Dichlorvos (DDVP)         ND         ND         ND         1.0         0.5         Pass           Dimethoate         ND         ND         ND         0.2         0.1         Pass           Ethoprophos         ND         ND         ND         0.2         0.1         Pass           Etofenprox         ND         ND         ND         0.4         0.1         Pass           Etoxazole         ND         ND         ND         0.2         0.1         Pass           Fenoxycarb         ND         ND         ND         0.2         0.1         Pass           Fenpyroximate         ND         ND         ND         0.4         0.1         Pass           Flonicamid         ND         ND         0.4         0.1         Pass           Fludioxonil         ND         ND         0.4         0.1         Pass           Hexythiazox         ND         ND         0.2         0.1         Pass           Imidacloprid         ND	Cyfluthrin	ND	ND	1.0	0.5		Pass
Diazinon ND ND 0.2 0.1 Pass Dichlorvos (DDVP) ND ND ND 1.0 0.2 0.1 Pass Dimethoate ND ND ND 0.2 0.1 Pass Ethoprophos ND ND ND 0.2 0.1 Pass Etofenprox ND ND ND 0.2 0.1 Pass Etoxazole ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fenoxycarb ND ND ND 0.2 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fipronil ND ND ND 0.4 0.1 Pass Fludioxonil ND ND ND 1.0 0.1 Pass Fludioxonil ND ND ND 0.4 0.1 Pass Hexythiazox ND ND ND 0.2 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imidacloprid ND ND ND 0.4 0.1 Pass	Cypermethrin	ND	ND	1.0	0.1		Pass
Dichlorvos (DDVP)         ND         ND         1.0         0.5         Pass           Dimethoate         ND         ND         0.2         0.1         Pass           Ethoprophos         ND         ND         0.2         0.1         Pass           Etofenprox         ND         ND         0.4         0.1         Pass           Etoxazole         ND         ND         0.2         0.1         Pass           Fenoxycarb         ND         ND         0.2         0.1         Pass           Fenpyroximate         ND         ND         0.4         0.1         Pass           Fipronil         ND         ND         0.4         0.1         Pass           Fludioxonil         ND         ND         1.0         0.1         Pass           Fludioxonil         ND         ND         0.4         0.1         Pass           Hexythiazox         ND         ND         0.2         0.1         Pass           Imidacloprid         ND         ND         0.4         0.1         Pass           Kresoxim-methyl         ND         ND         0.4         0.1         Pass	Daminozide	ND	ND	1.0	0.5		Pass
Dimethoate         ND         ND         0.2         0.1         Pass           Ethoprophos         ND         ND         ND         0.2         0.1         Pass           Etofenprox         ND         ND         0.4         0.1         Pass           Etoxazole         ND         ND         0.2         0.1         Pass           Fenoxycarb         ND         ND         0.2         0.1         Pass           Fenpyroximate         ND         ND         0.4         0.1         Pass           Fipronil         ND         ND         0.4         0.1         Pass           Fludioxamid         ND         ND         1.0         0.1         Pass           Fludioxonil         ND         ND         0.4         0.1         Pass           Hexythiazox         ND         ND         1.0         0.1         Pass           Imazalil         ND         ND         0.2         0.1         Pass           Imidacloprid         ND         ND         0.4         0.1         Pass           Kresoxim-methyl         ND         ND         0.4         0.1         Pass	Diazinon	ND	ND	0.2	0.1		Pass
Ethoprophos         ND         ND         0.2         0.1         Pass           Etofenprox         ND         ND         0.4         0.1         Pass           Etoxazole         ND         ND         0.2         0.1         Pass           Fenoxycarb         ND         ND         0.2         0.1         Pass           Fenpyroximate         ND         ND         0.4         0.1         Pass           Fipronil         ND         ND         0.4         0.1         Pass           Fludicamid         ND         ND         1.0         0.1         Pass           Fludioxonil         ND         ND         0.4         0.1         Pass           Hexythiazox         ND         ND         1.0         0.1         Pass           Imazalil         ND         ND         0.2         0.1         Pass           Imidacloprid         ND         ND         0.4         0.1         Pass           Kresoxim-methyl         ND         ND         0.4         0.1         Pass	Dichlorvos (DDVP)	ND	ND	1.0	0.5		Pass
Etofenprox         ND         ND         0.4         0.1         Pass           Etoxazole         ND         ND         0.2         0.1         Pass           Fenoxycarb         ND         ND         0.2         0.1         Pass           Fenpyroximate         ND         ND         0.4         0.1         Pass           Fipronil         ND         ND         0.4         0.1         Pass           Flonicamid         ND         ND         1.0         0.1         Pass           Fludioxonil         ND         ND         0.4         0.1         Pass           Hexythiazox         ND         ND         1.0         0.1         Pass           Imazalil         ND         ND         0.2         0.1         Pass           Imidacloprid         ND         ND         0.4         0.1         Pass           Kresoxim-methyl         ND         ND         0.4         0.1         Pass	Dimethoate	ND	ND	0.2	0.1		Pass
Etoxazole ND ND 0.2 0.1 Pass Fenoxycarb ND ND 0.2 0.1 Pass Fenoxycarb ND ND 0.4 0.1 Pass Fipronil ND ND 0.4 0.1 Pass Flonicamid ND ND 1.0 0.1 Pass Fludioxonil ND ND 0.4 0.1 Pass Hexythiazox ND ND 0.4 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imidacloprid ND ND 0.4 0.1 Pass Kresoxim-methyl ND ND 0.4 0.1 Pass	Ethoprophos	ND	ND	0.2	0.1		Pass
Fenoxycarb  ND  ND  ND  0.2  0.1  Pass Fenpyroximate  ND  ND  ND  0.4  0.1  Pass Fipronil  ND  ND  ND  0.4  0.1  Pass Flonicamid  ND  ND  ND  1.0  0.1  Pass Fludioxonil  ND  ND  ND  0.4  0.1  Pass Fludioxonil  ND  ND  ND  0.4  0.1  Pass Imazalil  ND  ND  ND  0.2  0.1  Pass Imidacloprid  ND  ND  ND  0.4  0.1  Pass Imazalil  ND  ND  ND  0.4  0.1  Pass Imazalil  ND  ND  ND  ND  ND  ND  Pass Imazalil  ND  ND  ND  ND  ND  ND  ND  ND  ND  N	Etofenprox	ND	ND	0.4	0.1		Pass
Fenpyroximate ND ND 0.4 0.1 Pass Fipronil ND ND 0.4 0.1 Pass Flonicamid ND ND 1.0 0.1 Pass Fludioxonil ND ND 0.4 0.1 Pass Hexythiazox ND ND ND 1.0 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imidacloprid ND ND ND 0.4 0.1 Pass Kresoxim-methyl ND ND 0.4 0.1 Pass	Etoxazole	ND	ND	0.2	0.1		Pass
Fipronil ND ND 0.4 0.1 Pass Flonicamid ND ND 1.0 0.1 Pass Fludioxonil ND ND 0.4 0.1 Pass Hexythiazox ND ND 1.0 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imidacloprid ND ND ND 0.4 0.1 Pass Kresoxim-methyl ND ND 0.4 0.1 Pass	Fenoxycarb	ND	ND	0.2	0.1		Pass
Flonicamid ND ND 1.0 0.1 Pass Fludioxonil ND ND 0.4 0.1 Pass Hexythiazox ND ND 1.0 0.1 Pass Imazalil ND ND ND 0.2 0.1 Pass Imidacloprid ND ND 0.4 0.1 Pass Kresoxim-methyl ND ND 0.4 0.1 Pass	Fenpyroximate	ND	ND	0.4	0.1		Pass
Fludioxonil ND ND 0.4 0.1 Pass Hexythiazox ND ND 1.0 0.1 Pass Imazalil ND ND 0.2 0.1 Pass Imidacloprid ND ND 0.4 0.1 Pass Kresoxim-methyl ND ND 0.4 0.1 Pass	Fipronil	ND	ND	0.4	0.1		Pass
Hexythiazox ND ND 1.0 0.1 Pass Imazalil ND ND 0.2 0.1 Pass Imidacloprid ND ND 0.4 0.1 Pass Kresoxim-methyl ND ND 0.4 0.1 Pass	Flonicamid	ND	ND	1.0	0.1		Pass
ImazalilNDND0.20.1PassImidaclopridNDND0.40.1PassKresoxim-methylNDND0.40.1Pass	Fludioxonil	ND	ND	0.4	0.1		Pass
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Hexythiazox	ND	ND	1.0	0.1		Pass
Kresoxim-methyl ND ND 0.4 0.1 Pass	Imazalil	ND	ND	0.2	0.1		Pass
	Imidacloprid	ND	ND	0.4	0.1		Pass
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	Kresoxim-methyl	ND	ND	0.4	0.1		Pass
	Malathion	ND	ND	0.2	0.1		Pass

Analyte	FFZ-FFC-XWG	JFX-WNT-RPR	Limits	LOQ	Notes	Status
Metalaxyl	ND	ND	0.2	0.1		Pass
Methiocarb	ND	ND	0.2	0.1		Pass
Methomyl	ND	ND	0.4	0.1		Pass
Methyl Parathion	ND	ND	0.2	0.2		Pass
MGK-264	ND	ND	0.2	0.2		Pass
Myclobutanil	ND	ND	0.2	0.1		Pass
Naled	ND	ND	0.5	0.2		Pass
Oxamyl	ND	ND	1.0	0.1		Pass
Paclobutrazol	ND	ND	0.4	0.1		Pass
Permethrins	ND	ND	0.2	0.1		Pass
Phosmet	ND	ND	0.2	0.1		Pass
Piperonyl Butoxide	ND	ND	2.0	0.1		Pass
Prallethrin	ND	ND	0.2	0.1		Pass
Propiconazole	ND	ND	0.4	0.1		Pass
Propoxur	ND	ND	0.2	0.1		Pass
Pyrethrins	ND	ND	1.0	0.5		Pass
Pyridaben	ND	ND	0.2	0.1		Pass
Spinosad	ND	ND	0.2	0.1		Pass
Spiromesifen	ND	ND	0.2	0.1		Pass
Spirotetramat	ND	ND	0.2	0.1		Pass
Spiroxamine	ND	ND	0.4	0.1		Pass
Tebuconazole	ND	ND	0.4	0.1		Pass
Thiacloprid	ND	ND	0.2	0.1		Pass
Thiamethoxam	ND	ND	0.2	0.1		Pass
Trifloxystrobin	ND	ND	0.2	0.1		Pass



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts
Sample Date: 8/26/2020
Analysis Date: 8/29/2020
Report Date: 9/1/2020

Metrc Batch ID: 1A4010300016315000026160 Metrc Sample ID: 1A4010300016315000026243 Harvest/Process Date: 8/22/2020 Report ID: LS-200901-18 Sample Plan ID:SP-200826-2-A Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008



# Pesticides Quality Control Data

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Abamectin	ND	0.1	0.892	1.00	89.2	50 - 150	
Acephate	ND	0.1	0.986	1.00	98.6	50 - 150	
Acequinocyl	ND	1.5	1.47	1.00	147	50 - 150	
Acetamiprid	ND	0.1	0.978	1.00	97.8	50 - 150	
Aldicarb	ND	0.1	1.01	1.00	101	50 - 150	
Azoxystrobin	ND	0.1	0.966	1.00	96.6	50 - 150	
Bifenazate	ND	0.1	1.21	1.00	121	50 - 150	
Bifenthrin	ND	0.1	1.08	1.00	108	50 - 150	
Boscalid	ND	0.1	1.05	1.00	105	50 - 150	
Carbaryl	ND	0.1	1.05	1.00	105	50 - 150	
Carbofuran	ND	0.1	0.979	1.00	97.9	50 - 150	
Chlorantraniliprole	ND	0.1	1.04	1.00	104	50 - 150	
Chlorfenapyr	ND	0.1	0.865	1.00	86.5	50 - 150	
Chlorpyrifos	ND	0.1	1.10	1.00	110	50 - 150	
Clofentezine	ND	0.1	0.888	1.00	88.8	50 - 150	
Cyfluthrin	ND	0.5	1.10	1.00	110	50 - 150	
Cypermethrin	ND	0.1	1.20	1.00	120	50 - 150	
Daminozide	ND	0.5	0.241	1.00	24.1	10 - 150	
Diazinon	ND	0.1	1.00	1.00	100	50 - 150	
Dichlorvos (DDVP)	ND	0.5	1.32	1.00	132	50 - 150	
Dimethoate	ND	0.1	1.08	1.00	108	50 - 150	
Ethoprophos	ND	0.1	1.09	1.00	109	50 - 150	
Etofenprox	ND	0.1	1.17	1.00	117	50 - 150	
Etoxazole	ND	0.1	0.920	1.00	92.0	50 - 150	
Fenoxycarb	ND	0.1	1.06	1.00	106	50 - 150	
Fenpyroximate	ND	0.1	1.03	1.00	103	50 - 150	
Fipronil	ND	0.1	1.09	1.00	109	50 - 150	
Flonicamid	ND	0.1	1.19	1.00	119	50 - 150	
Fludioxonil	ND	0.1	0.764	1.00	76.4	50 - 150	
Hexythiazox	ND	0.1	0.781	1.00	78.1	50 - 150	
Imazalil	ND	0.1	1.07	1.00	107	50 - 150	
Imidacloprid	ND	0.1	0.928	1.00	92.8	50 - 150	
Kresoxim-methyl	ND	0.1	1.02	1.00	102	50 - 150	
Malathion	ND	0.1	1.06	1.00	106	50 - 150	

Pesticides QC Analysis Date: 8/31/2020 Pesticides QC Batch ID: PST\_083120A Method: EN 15662 Unit: μg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Metalaxyl	ND	0.1	1.07	1.00	107	50 - 150	
Methiocarb	ND	0.1	1.10	1.00	110	50 - 150	
Methomyl	ND	0.1	1.21	1.00	121	50 - 150	
Methyl Parathion	ND	0.2	ND	1.00	0.00	30 - 150	ND
MGK-264	ND	0.2	0.277	0.600	46.2	50 - 150	ME
Myclobutanil	ND	0.1	1.09	1.00	109	50 - 150	
Naled	ND	0.2	0.904	1.00	90.4	50 - 150	
0xamy1	ND	0.1	0.998	1.00	99.8	50 - 150	
Paclobutrazol	ND	0.1	1.04	1.00	104	50 - 150	
Permethrins	ND	0.1	1.43	1.00	143	50 - 150	
Phosmet	ND	0.1	1.10	1.00	110	50 - 150	
Piperonyl Butoxide	ND	0.1	1.33	1.00	133	50 - 150	
Prallethrin	ND	0.1	1.19	1.00	119	50 - 150	
Propiconazole	ND	0.1	1.59	1.00	159	50 - 150	ME
Propoxur	ND	0.1	1.08	1.00	108	50 - 150	
Pyrethrins	ND	0.5	1.01	1.00	101	50 - 150	
Pyridaben	ND	0.1	1.17	1.00	117	50 - 150	
Spinosad	ND	0.1	1.07	1.00	107	50 - 150	
Spiromesifen	ND	0.1	1.36	1.00	136	50 - 150	
Spirotetramat	ND	0.1	1.11	1.00	111	50 - 150	
Spiroxamine	ND	0.1	1.07	1.00	107	50 - 150	
Tebuconazole	ND	0.1	1.35	1.00	135	50 - 150	
Thiacloprid	ND	0.1	1.15	1.00	115	50 - 150	
Thiamethoxam	ND	0.1	1.11	1.00	111	50 - 150	
Trifloxystrobin	ND	0.1	1.05	1.00	105	50 - 150	



Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts
Sample Date: 8/26/2020
Analysis Date: 8/29/2020
Report Date: 9/1/2020

Metrc Batch ID: 1A4010300016315000026160 Metrc Sample ID: 1A4010300016315000026243 Harvest/Process Date: 8/22/2020 Report ID: LS-200901-18 Sample Plan ID:SP-200826-2-A Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008

Residual Solvents
Sample Data

Solvents Analysis Date: 8/29/2020 Solvents Batch ID: RES 082820B Method: EPA 5021A Unit: μg/g (ppm) Pass 🤡

Analyte	FFZ-FFC-XWG	JFX-WNT-RPR	RPD (%)	Limits	LOQ	Notes	Status
1,4-Dioxane	ND	ND	0.00	380.0	50.0		Pass
2-Butanol	ND	ND	0.00	5000.0	250.0		Pass
2-Ethoxyethanol	ND	ND	0.00	160.0	50.0		Pass
Acetone	ND	ND	0.00	5000.0	250.0		Pass
Acetonitrile	ND	ND	0.00	410.0	50.0		Pass
Benzene	ND	ND	0.00	2.0	2.0		Pass
Butanes	ND	ND	0.00	5000.0	250.0		Pass
Cumene	ND	ND	0.00	70.0	50.0		Pass
Cyclohexane	ND	ND	0.00	3880.0	50.0		Pass
Ethyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Ethyl Ether	ND	ND	0.00	5000.0	250.0		Pass
Ethylene Glycol	ND	ND	0.00	620.0	250.0		Pass
Ethylene Oxide	ND	ND	0.00	50.0	50.0		Pass
Heptane	ND	ND	0.00	5000.0	250.0		Pass
Hexanes	ND	ND	0.00	290.0	50.0		Pass
Isopropanol (2-Propanol)	ND	ND	0.00	5000.0	50.0		Pass
Isopropyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Methanol	ND	ND	0.00	3000.0	250.0		Pass
Dichloromethane	ND	ND	0.00	600.0	50.0		Pass
Pentanes	ND	ND	0.00	5000.0	250.0		Pass
Propane	ND	ND	0.00	5000.0	250.0		Pass
Tetrahydrofuran	ND	ND	0.00	720.0	50.0		Pass
Toluene	ND	ND	0.00	890.0	50.0		Pass
Xylenes	ND	ND	0.00	2170.0	50.0		Pass



Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Sample Type: Extracts Sample Date: 8/26/2020 Analysis Date: 8/29/2020 Report Date: 9/1/2020

Metrc Batch ID: 1A4010300016315000026160 Metrc Sample ID: 1A4010300016315000026243 Harvest/Process Date: 8/22/2020 Report ID: LS-200901-18 Sample Plan ID:SP-200826-2-A Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008



Solvents QC Analysis Date: 8/29/2020 Solvents QC Batch ID: RES 082820B

Method: EPA 5021A Unit: µg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
1,4-Dioxane	ND	50.0	1060	1000	106	70 - 130	
2-Butanol	ND	250.0	926	1000	92.6	70 - 130	
2-Ethoxyethanol	ND	50.0	1080	1000	108	70 - 130	
Acetone	ND	250.0	1050	1000	105	70 - 130	
Acetonitrile	ND	50.0	868	1000	86.8	70 - 130	
Benzene	ND	2.0	18.2	20.0	91.2	70 - 130	
Butanes	ND	250.0	1500	2000	75.2	70 - 130	
Cumene	ND	50.0	964	1000	96.4	70 - 130	
Cyclohexane	ND	50.0	988	1000	98.8	70 - 130	
Ethyl Acetate	ND	250.0	901	1000	90.1	70 - 130	
Ethyl Ether	ND	250.0	962	1000	96.2	70 - 130	
Ethylene Glycol	ND	250.0	1150	1000	115	70 - 130	
Ethylene Oxide	ND	50.0	809	1000	80.9	70 - 130	
Heptane	ND	250.0	820	1000	82.0	70 - 130	
Hexanes	ND	50.0	4360	5000	87.2	70 - 130	
Isopropanol (2-Propanol)	<l0q< td=""><td>50.0</td><td>918</td><td>1000</td><td>91.8</td><td>70 - 130</td><td></td></l0q<>	50.0	918	1000	91.8	70 - 130	
Isopropyl Acetate	ND	250.0	874	1000	87.4	70 - 130	
Methanol	ND	250.0	1090	1000	109	70 - 130	
Dichloromethane	ND	50.0	941	1000	94.1	70 - 130	
Pentanes	ND	250.0	2490	3000	83.1	70 - 130	
Propane	ND	250.0	1300	1000	130	70 - 130	
Tetrahydrofuran	ND	50.0	851	1000	85.1	70 - 130	
Toluene	ND	50.0	1030	1000	103	70 - 130	
Xylenes	ND	50.0	5080	4000	127	70 - 130	



Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Sample Type: Extracts Sample Date: 8/26/2020 Analysis Date: 8/29/2020 Report Date: 9/1/2020

Metrc Batch ID: 1A4010300016315000026160 Metrc Sample ID: 1A4010300016315000026243 Harvest/Process Date: 8/22/2020 Report ID: LS-200901-18 Sample Plan ID:SP-200826-2-A Sample Procedure: 160721\_LAB-SOP\_SampleCollection-v008

### **Qualifier Flag Descriptions**

J	Reported result is an estimate - the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
U	The analyte was not detected in the sample at the estimated detection limit (EDL)
E	Exceeds calibration range
D	Dilution data - result was obtained from the analysis of a dilution
В	Analyte found in sample and associated blank
С	Co-eluting compound
R	Relative Percent Difference (RPD) outside control limits
NR	Analyte not reported because of problems in sample preparation or analysis
ND	Non-Detect
X	Results from reinjection/repeat/re-column data
EMC	Estimated maximum possible concentration - indicates that a peak is detected but did not meet the method required criteria
М	Manual integration
PS	Peaks split
НВ	Control acceptance criteria are exceeded high and the associated sample is below the detection limit
LB	Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
ME	Marginal Exceedance
LR	Low Recovery Analyte
LOQ	Limit of Quantitation