

info@lightscale.com ORELAP #4112 OLCC #010-1003340D344

506 - Citra Kush RCO 11.5.20

Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Sample Type: Extracts Sample Date: 11/10/2020 Analysis Date: 11/11/2020 Report Date: 11/12/2020

Metrc Batch ID: 1A4010300016315000028086 Metrc Sample ID: 1A4010300016315000028187

Harvest/Process Date: 11/5/2020 Report ID: LS-201112-16 Sample Plan ID:SP-201110-1-C Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Potency

Potency Analysis Date: 11/11/2020 Potency Batch ID: CAN_111120A Potency Method: JAOAC 2015.1

63.8%	Total THC
0.0857%	Total CBD
Samples, IVM PGC VIP END NSG TVP	



Samples	IXM-RGC-XIP	FND-NSG-TXP

Analyte	Description	LOQ	RPD	Min.	Max.	Avg.	
Δ9THC	Delta-9 Tetrahydrocannabinol	0.16	0.0133	63.8	63.8	63.8	
THCA	Tetrahydrocannabinolic acid	0.16	0.00	<l0q< td=""><td><l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<></td></l0q<>	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBD	Cannabidiol	0.16	6.88	ND	0.171	0.0857	•
CBDA	Cannabidiolic acid	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
∆8тнс	Delta-8 Tetrahydrocannabinol*	0.16	0.00	ND	ND	ND	
ГНСV	Tetrahydrocannabivarin*	0.16	6.20	1.83	1.94	1.88	•
CBG	Cannabigerol*	0.16	21.8	0.850	1.06	0.954	•
CBGA	Cannabigerolic acid*	0.16	0.00	ND	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBC	Cannabichromene*	0.16	14.7	0.933	1.08	1.01	•
CBCA	Cannabichromenic acid*	0.16	0.00	ND	ND	ND	
CBN	Cannabinol	0.16	10.5	0.738	0.820	0.779	•
Total THC	Δ9THC + (THCA × 0.877)		0.0133	63.8	63.8	63.8	
Total CBD	CBD + (CBDA × 0.877)		6.88	ND	0.171	0.0857	•
Total			0.809	68.2	68.9	68.6	

Compliance

Pesticides	Within limits	Analysis Date: 11/11/2020	Pass ⊘
Solvents	Within limits	Analysis Date: 11/12/2020	Pass ⊘
Potency	Within limits	Analysis Date: 11/11/2020	Pass ⊘

Prize Hate Bryce Kidd, Ph.D. Lab Director

Aaron Troyer

Chief Science Officer



Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-007. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

506 - Citra Kush RCO 11.5.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653



Terpenes* Sample Data

Sample Type: Extracts Sample Date: 11/10/2020 Analysis Date: 11/11/2020 Report Date: 11/12/2020

Metrc Batch ID:

1A4010300016315000028086 Metrc Sample ID: 1A4010300016315000028187

Terpene Analysis Date: 11/11/2020 Terpene Batch ID: TRP_111120A Sample Plan ID:SP-201110-1-C Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Harvest/Process Date: 11/5/2020 Report ID: LS-201112-16

Method: JAOAC 2015.1 Unit: %

Avg.	Notes
2.13%	
0.738%	_
0.714%	_
0.327%	-
0.230%	-
0.188%	-
0.178%	•
0.160%	•
0.102%	•
0.0769%	•
0.0616%	•
0.0529%	•
0.0438%	•
0.0303%	•
0.0273%	•
0.0273%	•
0.0239%	•
0.0209%	•
0.0169%	•
0.00740%	•
0.00422%	•
ND	
	2.13% 0.738% 0.714% 0.327% 0.230% 0.188% 0.178% 0.160% 0.102% 0.0769% 0.0616% 0.0529% 0.0438% 0.0529% 0.0438% 0.0273% 0.0273% 0.0273% 0.0273% 0.0239% 0.029% 0.0169% 0.00422% ND ND ND ND ND ND ND ND

Analyte	Avg.	Notes
Guaiol	ND	
Isoborneol	ND	
Isopulegol	ND	
Nerol	ND	
Pulegone	ND	
Sabinene Hydrate	ND	
Valencene	ND	
cis-Nerolidol	ND	
trans-Nerolidol	ND	
a-Ocimene	ND	
α-Phellandrene	ND	
β-Farnesene 1	ND	
β-Farnesene 2	ND	
γ-Terpineol	ND	
Total	5.16%	



Sample Type: Extracts

Sample Date: 11/10/2020

Analysis Date: 11/11/2020

Report Date: 11/12/2020

info@lightscale.com **ORELAP #4112** OLCC #010-1003340D344

506 - Citra Kush RCO 11.5.20

Status

Pass

0.1

0.1

0.5

0.1

0.5

0.1

0.5

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.2

0.2

1.0

1.0

1.0

0.2

1.0

0.2

0.2

0.4

0.2

0.2

0.4

0.4

1.0

0.4

1.0

0.2

0.4

0.4

0.2

Metrc Batch ID:

Metrc Sample ID:

1A4010300016315000028086

1A4010300016315000028187

Pesticides Analysis Date: 11/11/2020

Pesticides Batch ID: PST 111120B

Farmer's Friend Extracts 6451 NF Colwood Wy Portland, OR 97218 503-442-8653

Chlorpyrifos

Clofentezine

Cypermethrin

Dichlorvos (DDVP)

Cyfluthrin

Daminozide

Dimethoate

Ethoprophos

Etofenprox

Etoxazole

Fenoxycarb

Fipronil

Flonicamid

Fludioxonil

Hexythiazox

Imidacloprid

Kresoxim-methyl

Imazalil

Malathion

Fenpyroximate

Diazinon

Pesti

Pesticides Sample D					
Analyte	FND-NSG-TXP	JXM-RGC-XJP	Limits	LOQ	Notes
Abamectin	ND	ND	0.5	0.1	
Acephate	ND	ND	0.4	0.1	
Acequinocyl	ND	ND	2.0	1.5	
Acetamiprid	ND	ND	0.2	0.1	
Aldicarb	ND	ND	0.4	0.1	
Azoxystrobin	ND	ND	0.2	0.1	
Bifenazate	ND	ND	0.2	0.1	
Bifenthrin	ND	ND	0.2	0.1	
Boscalid	ND	ND	0.4	0.1	
Carbaryl	ND	ND	0.2	0.1	
Carbofuran	ND	ND	0.2	0.1	
Chlorantraniliprole	ND	ND	0.2	0.1	
Chlorfenapyr	ND	ND	1.0	0.1	

ND

Analyte	FND-NSG-TXP	JXM-RGC-XJP	Limits	LOQ	Notes	Status
Metalaxyl	ND	ND	0.2	0.1		Pass
Methiocarb	ND	ND	0.2	0.1		Pass
Methomyl	ND	ND	0.4	0.1		Pass
Methyl Parathion	ND	ND	0.2	0.2		Pass
MGK-264	ND	ND	0.2	0.2		Pass
Myclobutanil	ND	ND	0.2	0.1		Pass
Naled	ND	ND	0.5	0.2		Pass
Oxamyl	ND	ND	1.0	0.1		Pass
Paclobutrazol	ND	ND	0.4	0.1		Pass
Permethrins	ND	ND	0.2	0.1		Pass
Phosmet	ND	ND	0.2	0.1		Pass
Piperonyl Butoxide	ND	ND	2.0	1.0		Pass
Prallethrin	ND	ND	0.2	0.1		Pass
Propiconazole	ND	ND	0.4	0.1		Pass
Propoxur	ND	ND	0.2	0.1		Pass
Pyrethrins	ND	ND	1.0	0.5		Pass
Pyridaben	ND	ND	0.2	0.1		Pass
Spinosad	ND	ND	0.2	0.1		Pass
Spiromesifen	ND	ND	0.2	0.1		Pass
Spirotetramat	ND	ND	0.2	0.1		Pass
Spiroxamine	ND	ND	0.4	0.1		Pass
Tebuconazole	ND	ND	0.4	0.1		Pass
Thiacloprid	ND	ND	0.2	0.1		Pass
Thiamethoxam	ND	ND	0.2	0.1		Pass
Trifloxystrobin	ND	ND	0.2	0.1		Pass

Harvest/Process Date: 11/5/2020

Sample Plan ID:SP-201110-1-C

Sample Procedure: 160721 LAB-SOP_SampleCollection-v008

Pass ⊘

Report ID: LS-201112-16

Method: EN 15662

Unit: µg/g (ppm)

Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-007. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only

3 of 7



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

506 - Citra Kush RCO 11.5.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

IJ

Sample Type: Extracts Sample Date: 11/10/2020 Analysis Date: 11/11/2020 Report Date: 11/12/2020 Metrc Batch ID:

1A4010300016315000028086 Metrc Sample ID: 1A4010300016315000028187

Pesticides QC Analysis Date: 11/11/2020

Pesticides QC Batch ID: PST 111120B

Harvest/Process Date: 11/5/2020 Report ID: LS-201112-16 Sample Plan ID:SP-201110-1-C Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Method: EN 15662

Unit: µg/g (ppm)

Pesticides Quality Control Data

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Abamectin	ND	0.1	0.987	1.00	98.7	50 - 150	
Acephate	ND	0.1	0.984	1.00	98.4	50 - 150	
Acequinocyl	ND	1.5	1.12	1.00	112	50 - 150	
Acetamiprid	ND	0.1	1.03	1.00	103	50 - 150	
Aldicarb	ND	0.1	1.05	1.00	105	50 - 150	
Azoxystrobin	ND	0.1	1.02	1.00	102	50 - 150	
Bifenazate	ND	0.1	1.61	1.00	161	50 - 150	ME
Bifenthrin	ND	0.1	1.04	1.00	104	50 - 150	
Boscalid	ND	0.1	1.09	1.00	109	50 - 150	
Carbaryl	ND	0.1	1.12	1.00	112	50 - 150	
Carbofuran	ND	0.1	0.982	1.00	98.2	50 - 150	
Chlorantraniliprole	ND	0.1	1.03	1.00	103	50 - 150	
Chlorfenapyr	ND	0.1	1.08	1.00	108	50 - 150	
Chlorpyrifos	ND	0.1	1.04	1.00	104	50 - 150	
Clofentezine	ND	0.1	1.10	1.00	110	50 - 150	
Cyfluthrin	ND	0.5	1.15	1.00	115	50 - 150	
Cypermethrin	ND	0.1	0.969	1.00	96.9	50 - 150	
Daminozide	ND	0.5	0.533	1.00	53.3	10 - 150	
Diazinon	ND	0.1	0.994	1.00	99.4	50 - 150	
Dichlorvos (DDVP)	ND	0.5	1.05	1.00	105	50 - 150	
Dimethoate	ND	0.1	1.16	1.00	116	50 - 150	
Ethoprophos	ND	0.1	1.03	1.00	103	50 - 150	
Etofenprox	ND	0.1	1.02	1.00	102	50 - 150	
Etoxazole	ND	0.1	0.977	1.00	97.7	50 - 150	
Fenoxycarb	ND	0.1	1.02	1.00	102	50 - 150	
Fenpyroximate	ND	0.1	1.01	1.00	101	50 - 150	
Fipronil	ND	0.1	1.08	1.00	108	50 - 150	
Flonicamid	ND	0.1	1.20	1.00	120	50 - 150	
Fludioxonil	ND	0.1	1.05	1.00	105	50 - 150	
Hexythiazox	ND	0.1	0.851	1.00	85.1	50 - 150	
Imazalil	ND	0.1	1.10	1.00	110	50 - 150	
Imidacloprid	ND	0.1	0.929	1.00	92.9	50 - 150	
Kresoxim-methyl	ND	0.1	1.01	1.00	101	50 - 150	
Malathion	ND	0.1	1.05	1.00	105	50 - 150	

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Metalaxyl	ND	0.1	1.06	1.00	106	50 - 150	
Methiocarb	ND	0.1	1.07	1.00	107	50 - 150	
Methomyl	ND	0.1	1.11	1.00	111	50 - 150	
Methyl Parathion	ND	0.2	ND	1.00	0.00	30 - 150	ND
MGK-264	ND	0.2	0.812	0.600	135	50 - 150	
Myclobutanil	ND	0.1	0.980	1.00	98.0	50 - 150	
Naled	ND	0.2	0.964	1.00	96.4	50 - 150	
Oxamyl	ND	0.1	1.14	1.00	114	50 - 150	
Paclobutrazol	ND	0.1	0.979	1.00	97.9	50 - 150	
Permethrins	ND	0.1	1.08	1.00	108	50 - 150	
Phosmet	ND	0.1	1.07	1.00	107	50 - 150	
Piperonyl Butoxide	ND	1.0	1.04	1.00	104	50 - 150	
Prallethrin	ND	0.1	1.05	1.00	105	50 - 150	
Propiconazole	ND	0.1	0.984	1.00	98.4	50 - 150	
Propoxur	ND	0.1	1.11	1.00	111	50 - 150	
Pyrethrins	ND	0.5	0.635	1.00	63.5	50 - 150	
Pyridaben	ND	0.1	1.02	1.00	102	50 - 150	
Spinosad	ND	0.1	ND	1.00	0.00	50 - 150	ND
Spiromesifen	ND	0.1	1.03	1.00	103	50 - 150	
Spirotetramat	ND	0.1	1.10	1.00	110	50 - 150	
Spiroxamine	ND	0.1	0.867	1.00	86.7	50 - 150	
Tebuconazole	ND	0.1	0.993	1.00	99.3	50 - 150	
Thiacloprid	ND	0.1	1.10	1.00	110	50 - 150	
Thiamethoxam	ND	0.1	1.11	1.00	111	50 - 150	
Trifloxystrobin	ND	0.1	1.05	1.00	105	50 - 150	

Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-067. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

506 - Citra Kush RCO 11.5.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

Residual Solvents

Sample Data

Sample Type: Extracts Sample Date: 11/10/2020 Analysis Date: 11/11/2020 Report Date: 11/12/2020

Metrc Batch ID:

1A4010300016315000028086 Metrc Sample ID: 1A4010300016315000028187 Harvest/Process Date: 11/5/2020 Report ID: LS-201112-16 Sample Plan ID:SP-201110-1-C Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Solvents Analysis Date: 11/12/2020 Solvents Batch ID: RES_111120B Method: EPA 5021A Unit: μg/g (ppm) Pass ⊘

Analyte	FND-NSG-TXP	JXM-RGC-XJP	RPD (%)	Limits	LOQ	Notes	Status
1,4-Dioxane	ND	ND	0.00	380.0	50.0	Notes	Pass
2-Butanol	ND	ND	0.00	5000.0	250.0		Pass
2-Ethoxyethanol	ND	ND	0.00	160.0	50.0		Pass
Acetone	ND	ND	0.00	5000.0	250.0		Pass
Acetonitrile			0.00				
	ND	ND		410.0	50.0		Pass
Benzene	ND	ND	0.00	2.0	2.0		Pass
Butanes	ND	ND	0.00	5000.0	250.0		Pass
Cumene	ND	ND	0.00	70.0	50.0		Pass
Cyclohexane	ND	ND	0.00	3880.0	50.0		Pass
Ethyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Ethyl Ether	ND	ND	0.00	5000.0	250.0		Pass
Ethylene Glycol	ND	ND	0.00	620.0	250.0		Pass
Ethylene Oxide	ND	ND	0.00	50.0	50.0		Pass
Heptane	ND	ND	0.00	5000.0	250.0		Pass
Hexanes	ND	ND	0.00	290.0	50.0		Pass
Isopropanol (2-Propanol)	ND	ND	0.00	5000.0	50.0		Pass
Isopropyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Methanol	<l0q< td=""><td>ND</td><td>0.00</td><td>3000.0</td><td>250.0</td><td></td><td>Pass</td></l0q<>	ND	0.00	3000.0	250.0		Pass
Dichloromethane	ND	ND	0.00	600.0	50.0		Pass
Pentanes	ND	ND	0.00	5000.0	250.0		Pass
Propane	ND	ND	0.00	5000.0	250.0		Pass
Tetrahydrofuran	ND	ND	0.00	720.0	50.0		Pass
Toluene	ND	ND	0.00	890.0	50.0		Pass
Xylenes	ND	ND	0.00	2170.0	50.0		Pass



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

506 - Citra Kush RCO 11.5.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653

0

Residual Solvents

Quality Control Data

Sample Type: Extracts Sample Date: 11/10/2020 Analysis Date: 11/11/2020 Report Date: 11/12/2020 Metrc Batch ID:

1A4010300016315000028086 Metrc Sample ID: 1A4010300016315000028187 Harvest/Process Date: 11/5/2020 Report ID: LS-201112-16 Sample Plan ID:SP-201110-1-C Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Solvents QC Analysis Date: 11/12/2020 Solvents QC Batch ID: RES_111120B Method: EPA 5021A Unit: µg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
1,4-Dioxane	ND	50.0	1060	1000	106	70 - 130	
2-Butanol	ND	250.0	885	1000	88.5	70 - 130	
2-Ethoxyethanol	ND	50.0	1170	1000	117	70 - 130	
Acetone	ND	250.0	1020	1000	102	70 - 130	
Acetonitrile	ND	50.0	947	1000	94.7	70 - 130	
Benzene	ND	2.0	21.3	20.0	106	70 - 130	
Butanes	ND	250.0	1510	2000	75.7	70 - 130	
Cumene	ND	50.0	983	1000	98.3	70 - 130	
Cyclohexane	ND	50.0	1000	1000	100	70 - 130	
Ethyl Acetate	ND	250.0	902	1000	90.2	70 - 130	
Ethyl Ether	ND	250.0	1150	1000	115	70 - 130	
Ethylene Glycol	ND	250.0	1150	1000	115	70 - 130	
Ethylene Oxide	ND	50.0	870	1000	87.0	70 - 130	
Heptane	ND	250.0	777	1000	77.7	70 - 130	
Hexanes	ND	50.0	4560	5000	91.3	70 - 130	
Isopropanol (2-Propanol)	ND	50.0	859	1000	85.9	70 - 130	
Isopropyl Acetate	ND	250.0	846	1000	84.6	70 - 130	
Methanol	ND	250.0	1190	1000	119	70 - 130	
Dichloromethane	ND	50.0	935	1000	93.5	70 - 130	
Pentanes	ND	250.0	2560	3000	85.2	70 - 130	
Propane	ND	250.0	870	1000	87.0	70 - 130	
Tetrahydrofuran	ND	50.0	874	1000	87.4	70 - 130	
Toluene	ND	50.0	915	1000	91.5	70 - 130	
Xylenes	ND	50.0	3910	4000	97.6	70 - 130	



info@lightscale.com 7 ORELAP #4112 OLCC #010-1003340D344

506 - Citra Kush RCO 11.5.20

Farmer's Friend Extracts 6451 NE Colwood Wy Portland, OR 97218 503-442-8653 Sample Type: Extracts Sample Date: 11/10/2020 Analysis Date: 11/11/2020 Report Date: 11/12/2020
 Metrc Batch ID:

 1A4010300016315000028086

 Metrc Sample ID:

 1A4010300016315000028187

Harvest/Process Date: 11/5/2020 Report ID: LS-201112-16 Sample Plan ID:SP-201110-1-C Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Qualifier Flag Descriptions

- J Reported result is an estimate the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
- U The analyte was not detected in the sample at the estimated detection limit (EDL)
- E Exceeds calibration range
- D Dilution data result was obtained from the analysis of a dilution
- B Analyte found in sample and associated blank
- C Co-eluting compound
- R Relative Percent Difference (RPD) outside control limits
- NR Analyte not reported because of problems in sample preparation or analysis
- ND Non-Detect
- X Results from reinjection/repeat/re-column data
- EMC Estimated maximum possible concentration indicates that a peak is detected but did not meet the method required criteria
- M Manual integration
- PS Peaks split
- HB Control acceptance criteria are exceeded high and the associated sample is below the detection limit
- LB Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
- ME Marginal Exceedance
- LR Low Recovery Analyte
- LOQ Limit of Quantitation